

TDMS No. 99002 - 03
Test Type: 90-DAY
Route: DOSED WATER
Species/Strain: RATS/F 344

E08: WATER AND COMPOUND CONSUMPTION TABLE

O-CHLOROPYRIDINE
CAS Number: 109-09-1

Date Report Reqsted: 05/11/2006
Time Report Reqsted: 08:57:11
First Dose M/F: 07/28/03 / 07/29/03
Lab: MBA

C Number: C99002B
Lock Date: 12/16/2004
Cage Range: ALL
Date Range: ALL
Reasons For Removal: ALL
Removal Date Range: ALL
Treatment Groups: Include ALL
Control List: Male: 001 Female: 007

TDMS No. 99002 - 03
 Test Type: 90-DAY
 Route: DOSED WATER
 Species/Strain: RATS/F 344

E08: WATER AND COMPOUND CONSUMPTION TABLE
 O-CHLOROPYRIDINE
 CAS Number: 109-09-1

Date Report Requested: 05/11/2006
 Time Report Requested: 08:57:11
 First Dose M/F: 07/28/03 / 07/29/03
 Lab: MBA

MALE

WEEK	VEHICLE CONTROL				10 PPM						30 PPM					
	DAILY WATER(G)	WATER HOURS	BODY WT(G)	NUM WTS	DAILY WATER(G)	WATER HOURS	BODY WT(G)	NUM WTS	DOSE/ CTRL	DOSE/ DAY	DAILY WATER(G)	WATER HOURS	BODY WT(G)	NUM WTS	DOSE/ CTRL	DOSE/ DAY
1	14.7	752	90.2	10	15.5	751	93.0	10	1.05	1.7	15.1	750	92.0	10	1.03	4.9
2	14.9	1622	118.5	10	16.6	1623	123.4	10	1.11	1.3	15.8	1624	123.4	10	1.06	3.8
3	16.6	1683	146.2	10	17.7	1682	151.6	10	1.07	1.2	18.3	1680	152.4	10	1.10	3.6
4	17.2	1686	175.0	10	18.3	1686	181.8	10	1.06	1.0	18.8	1686	184.1	10	1.09	3.1
5	17.3	1686	198.9	10	17.6	1686	205.1	10	1.02	0.9	18.4	1685	209.0	10	1.06	2.6
6	15.7	1344	216.8	10	16.6	1680	224.6	10	1.06	0.7	17.2	1680	229.7	10	1.10	2.2
7	16.5	1672	233.7	10	19.3	1672	238.5	10	1.17	0.8	18.9	1330	246.5	10	1.15	2.3
8	16.2	1660	246.8	10	17.1	1660	254.1	10	1.06	0.7	21.7	671	263.4	10	1.34	2.5
9	16.4	1691	262.0	10	16.5	1691	267.9	10	1.01	0.6	18.0	1691	277.6	10	1.10	1.9
10	16.0	1685	275.2	10	15.9	1208	281.2	10	0.99	0.6	19.0	1685	294.6	10	1.19	1.9
11	16.3	1724	284.9	10	16.0	1724	290.9	10	0.98	0.6	17.3	1724	305.1	10	1.06	1.7
12	16.9	1643	297.0	10	17.0	1643	302.2	10	1.01	0.6	17.3	1643	316.4	10	1.02	1.6
13	16.8	1680	305.8	10	16.2	1345	311.1	10	0.96	0.5	18.8	1680	323.6	10	1.12	1.7
14	17.3	916	319.9	10	17.7	917	325.8	10	1.02	0.5	13.6	459	326.0	10	0.79	1.3

TDMS No. 99002 - 03
 Test Type: 90-DAY
 Route: DOSED WATER
 Species/Strain: RATS/F 344

E08: WATER AND COMPOUND CONSUMPTION TABLE
 O-CHLOROPYRIDINE
 CAS Number: 109-09-1

Date Report Requested: 05/11/2006
 Time Report Requested: 08:57:11
 First Dose M/F: 07/28/03 / 07/29/03
 Lab: MBA

MALE

WEEK	100 PPM						300 PPM						1000 PPM					
	DAILY WATER(G)	WATER HOURS	BODY WT(G)	NUM WTS	DOSE/ CTRL	DOSE/ DAY	DAILY WATER(G)	WATER HOURS	BODY WT(G)	NUM WTS	DOSE/ CTRL	DOSE/ DAY	DAILY WATER(G)	WATER HOURS	BODY WT(G)	NUM WTS	DOSE/ CTRL	DOSE/ DAY
1	15.4	749	91.2	10	1.05	16.9	13.6	748	90.8	10	0.93	44.9	6.5	746	94.4	10	0.44	68.9
2	15.4	1625	119.5	10	1.03	12.9	15.2	1625	118.0	10	1.02	38.6	8.8	1625	98.2	10	0.59	89.6
3	15.7	1326	147.7	10	0.95	10.6	16.6	1680	145.0	10	1.00	34.3	10.2	1679	120.8	10	0.61	84.5
4	16.6	1686	173.7	10	0.97	9.6	16.9	1686	172.1	10	0.98	29.5	11.3	1685	145.1	10	0.66	77.9
5	18.8	492	194.8	10	1.09	9.6	16.5	1193	191.9	10	0.95	25.8	12.0	1685	164.3	10	0.69	73.0
6	20.2	1680	213.3	10	1.29	9.5	15.2	1680	210.1	10	0.97	21.7	11.3	1680	182.1	10	0.72	62.1
7	16.8	1672	232.7	10	1.02	7.2	17.7	1672	221.6	10	1.07	24.0	11.7	1672	195.1	10	0.71	60.0
8	17.1	1660	246.6	10	1.06	6.9	16.9	1659	238.9	10	1.04	21.2	11.6	1659	209.2	10	0.72	55.4
9	18.0	845	259.8	10	1.10	6.9	16.0	1691	254.6	10	0.98	18.9	12.8	1691	221.7	10	0.78	57.7
10	19.5	365	276.7	10	1.22	7.0	15.8	1685	266.8	10	0.99	17.8	13.0	1206	218.9	10	0.81	59.4
11	19.7	1231	288.8	10	1.21	6.8	16.1	1724	274.8	10	0.99	17.6	12.7	1724	235.4	10	0.78	54.0
12	19.6	1185	305.3	10	1.16	6.4	16.4	1642	286.4	10	0.97	17.2	12.8	1642	248.9	10	0.76	51.4
13	18.1	1680	312.2	10	1.08	5.8	16.1	1680	293.0	10	0.96	16.5	13.0	1680	258.0	10	0.77	50.4
14	18.1	919	325.8	10	1.05	5.6	17.5	920	308.9	10	1.01	17.0	15.1	920	267.5	10	0.87	56.4

*** END OF MALES ***

TDMS No. 99002 - 03
 Test Type: 90-DAY
 Route: DOSED WATER
 Species/Strain: RATS/F 344

E08: WATER AND COMPOUND CONSUMPTION TABLE
 O-CHLOROPYRIDINE
 CAS Number: 109-09-1

Date Report Requested: 05/11/2006
 Time Report Requested: 08:57:11
 First Dose M/F: 07/28/03 / 07/29/03
 Lab: MBA

FEMALE

WEEK	VEHICLE CONTROL				10 PPM						30 PPM					
	DAILY WATER(G)	WATER HOURS	BODY WT(G)	NUM WTS	DAILY WATER(G)	WATER HOURS	BODY WT(G)	NUM WTS	DOSE/ CTRL	DOSE/ DAY	DAILY WATER(G)	WATER HOURS	BODY WT(G)	NUM WTS	DOSE/ CTRL	DOSE/ DAY
1	12.5	720	86.2	10	13.8	720	87.8	10	1.10	1.6	13.0	719	87.2	10	1.04	4.5
2	13.4	1670	105.9	10	13.9	1670	107.5	10	1.04	1.3	13.6	1670	108.2	10	1.01	3.8
3	13.9	1696	120.0	10	14.1	1330	121.8	10	1.01	1.2	15.8	1696	123.4	10	1.14	3.8
4	14.4	1648	134.7	10	14.8	1647	136.8	10	1.03	1.1	15.5	1647	139.1	10	1.08	3.3
5	15.5	1682	146.1	10	15.7	1682	149.4	10	1.01	1.1	15.7	1682	149.7	10	1.01	3.1
6	14.0	1674	157.7	10	15.7	1674	160.8	10	1.12	1.0	14.9	1674	159.7	10	1.06	2.8
7	14.0	1681	168.2	10	14.4	1681	170.9	10	1.03	0.8	16.2	840	169.2	10	1.16	2.9
8	13.5	1688	175.1	10	14.0	1688	176.8	10	1.04	0.8	16.3	1213	175.8	10	1.21	2.8
9	12.4	1669	178.7	10	13.4	1669	181.1	10	1.08	0.7	13.8	1669	180.2	10	1.11	2.3
10	13.0	1689	183.8	10	13.6	1689	185.2	10	1.05	0.7	14.4	1689	185.0	10	1.11	2.3
11	14.3	1678	187.8	10	13.5	1678	190.4	10	0.94	0.7	14.6	1678	189.9	10	1.02	2.3
12	14.2	1316	191.2	10	13.9	1317	194.0	10	0.98	0.7	14.1	1677	195.0	10	0.99	2.2
13	14.1	1193	191.7	10	13.8	1677	195.6	10	0.98	0.7	15.2	1677	194.6	10	1.08	2.3
14	13.4	938	195.3	10	17.7	938	200.1	10	1.32	0.9	14.8	939	200.3	10	1.10	2.2

TDMS No. 99002 - 03
 Test Type: 90-DAY
 Route: DOSED WATER
 Species/Strain: RATS/F 344

E08: WATER AND COMPOUND CONSUMPTION TABLE
 O-CHLOROPYRIDINE
 CAS Number: 109-09-1

Date Report Reqsted: 05/11/2006
 Time Report Reqsted: 08:57:11
 First Dose M/F: 07/28/03 / 07/29/03
 Lab: MBA

FEMALE

WEEK	100 PPM						300 PPM						1000 PPM					
	DAILY WATER(G)	WATER HOURS	BODY WT(G)	NUM WTS	DOSE/ CTRL	DOSE/ DAY	DAILY WATER(G)	WATER HOURS	BODY WT(G)	NUM WTS	DOSE/ CTRL	DOSE/ DAY	DAILY WATER(G)	WATER HOURS	BODY WT(G)	NUM WTS	DOSE/ CTRL	DOSE/ DAY
1	12.6	718	88.1	10	1.01	14.3	12.2	717	86.0	10	0.98	42.6	6.1	716	87.1	10	0.49	70.1
2	13.4	1670	107.5	10	1.00	12.5	13.1	1670	104.5	10	0.98	37.6	7.7	1198	89.4	10	0.57	86.1
3	13.5	1696	121.8	10	0.97	11.1	13.3	730	118.5	10	0.96	33.7	8.7	1331	104.6	10	0.63	83.1
4	13.8	1647	136.5	10	0.96	10.1	13.6	1647	131.9	10	0.94	30.9	9.4	1647	119.2	10	0.65	78.9
5	12.4	1682	149.0	10	0.80	8.3	13.7	1682	144.5	10	0.88	28.4	10.0	1682	129.9	10	0.65	77.0
6	15.2	1674	160.7	10	1.09	9.5	13.1	1674	154.7	10	0.94	25.4	10.0	1674	139.0	10	0.71	71.9
7	13.8	1681	169.5	10	0.99	8.1	12.7	1681	163.0	10	0.91	23.4	9.8	1681	147.5	10	0.70	66.4
8	13.3	1688	175.5	10	0.99	7.6	12.8	1688	168.2	10	0.95	22.8	9.8	1688	154.0	10	0.73	63.7
9	12.9	1669	178.7	10	1.04	7.2	12.2	1669	172.5	10	0.98	21.2	9.8	1669	158.1	10	0.79	62.0
10	12.7	1689	183.4	10	0.98	6.9	12.6	1689	176.1	10	0.97	21.5	10.1	1689	163.0	10	0.78	61.9
11	14.5	1679	188.9	10	1.01	7.7	12.2	1678	182.2	10	0.85	20.1	10.3	1678	167.3	10	0.72	61.6
12	14.5	1676	191.8	10	1.02	7.6	12.3	1676	184.7	10	0.87	20.0	10.5	1676	170.3	10	0.74	61.6
13	12.8	1678	193.9	10	0.91	6.6	13.0	1678	187.2	10	0.92	20.8	10.4	1678	172.9	10	0.74	60.2
14	17.4	940	195.9	10	1.30	8.9	12.7	940	190.2	10	0.95	20.0	15.8	941	173.8	10	1.18	90.9

*** END OF REPORT ***