Draft RoC Monograph for Pentachlorophenol: Literature Search Strategy and Preliminary List of References

This document describes the data sources, search terms, and search strategies that were used to identify literature for the draft monograph on pentachlorophenol (CASRN 87-86-5). The literature search strategy used for pentachlorophenol involved several approaches designed to identify potentially useful information for the broad range of topics covered by a Report on Carcinogens (RoC) monograph, as listed below.

- Properties and Human Exposure (focusing on the U.S. population)
- Disposition (ADME) and Toxicokinetics
- Human Cancer Studies
- Studies of Cancer in Experimental Animals
- Mechanistic Data and Other Relevant Effects
 - o Genetic and Related Effects
 - Mechanistic Considerations

The methods for identifying the relevant literature for the draft pentachlorophenol monograph, including (Part I) the search strategy, (Part II) updating the literature search, and (Part III) the review of citations using web-based systematic review software, are illustrated in Figure 1 and discussed below. Part IV provides information on general searches for by-products of synthesis of pentachlorophenol.

The preliminary list of references used in the preparation of the draft RoC monograph on pentachlorophenol is provided in Part V at the end of this document.




Figure 1. Literature search strategy and review process

Part I. Search strategy

As mentioned in the concept document for pentachlorophenol the specific literature searches are constructed to answer the key questions of the monograph, as a result, not all topic- specific searches will include all the different types of substance- specific search terms; for example, searches for exposure information will only be combined with search terms for pentachlorophenol synonyms since information on exposure to pentachlorophenol metabolites is beyond the scope of this document.

Literature searches in the three databases (see Data Sources, Section 1) are conducted using search terms specific for pentachlorophenol (synonyms, chemical class, metabolites, and exposure scenario) and for the topics covered by the monograph.

Searches for human cancer studies are somewhat unique because they involve the identification of search terms for exposure scenarios in which people may be exposed to pentachlorophenol in addition to search terms specific for pentachlorophenol. For pentachlorophenol, these include terms related to its use as a wood preservative, and in wood- related industries such as sawmills, fencing, and lumber. Because pentachlorophenol was a major pesticide, searches using either pentachlorophenol synonyms or the chemical class should pick up any potential epidemiological studies in the pesticide industry.

In addition to the human cancer studies identified from the above searches, a full- text search for pentachlorophenol is conducted using a QUOSA library of occupational case-control studies.

Relevant literature is identified using search terms, data sources, and strategies as described below.

- 1. **General data search:** This search covers a broad range of general data sources for information relevant to many or all of the wide range of monograph topics pertaining to pentachlorophenol (see Table 1a,b,c).
- 2. **Exposure-related data search:** This search covers a broad range of potential sources for exposure-related information and physical-chemical properties (see Table 2).
- 3. **Database searches in PubMed, Scopus, and Web of Science:** The majority of the primary literature used to draft the pentachlorophenol monograph was identified from searches of these three extensive databases available through the NIEHS Library. Synonyms, metabolites, and the chemical class for pentachlorophenol were identified from the sources listed in Table 3 and the search terms are listed in Table 4. The substance search terms were combined with the search terms for each of the monograph topics listed above to create the specific literature searches. See Table 5 for details on this approach and Table 6 for topic-specific search terms.

Searches for human cancer studies are somewhat unique because they involve the identification of search terms for exposure scenarios that might result in exposure of people to pentachlorophenol. For pentachlorophenol, these exposure-related search terms were based on the manufacture of pentachlorophenol and its use in wood preservation and the use of the handling of the treated wood by workers in sawmills and in fence building; the search terms for those uses were combined with search terms specific for human cancer (see Tables 5 and 6).

- 4. **QUOSA library of occupational case-control studies** search of the QUOSA-based library of approximately 6,000 occupational case-control studies, approximately 60% of which are currently available as searchable full-text pdfs, was conducted using the synonyms "pentachlorophenol," "87-86-5 (CASRN)," "hydroxypentachlorobenzene," "pentachlorobenzene," "Dowicide EC-7," and "Dowicide 7."
- 5. Special topic-focused searches: A topic-specific follow-up search was conducted for pentachlorophenol and immunesuppression using the terms (pentachlorophenol OR hydroxypentachlorobenzene OR pentachlorobenzene OR pentachlorophenate OR Dowicide) AND (immune AND (system OR suppress* OR surveillance)) OR (immunosuppress*).
- 6. **Secondary sources:** Citations identified from authoritative reviews or from primary references located by literature search, together with publications citing key papers identified using the Web of Science "Cited Reference Search," were also added.

General Sources Checklist for: <u>Pentachlorophenol (87-86-5)</u>

Source	Name of document
1) NTP technical reports	TR349
	TR483
2) NTP nomination for toxicological evaluation documents	
8/7/2002- ATSDR- PCP	
11/0/1976- NCI- PCP, technical	NF (5 nominations, but no
11/0/1976- NCI- Dowicide	nomination documents)
8/0/1981- NIOSH- NaPenta CP	
7/0/1988- NIEHS- PCP, purified	
3) NTP RoC Background Documents	
4) NTP RoC Profiles	
5) OHAT (formerly CERHR)	
6) IARC monographs	Suppl 7
	Vol. 53
	Vol. 71
	Vol. 41
	Vol. 20
7) ATSDR Toxicological Profiles	EPA2001
	Addendum 2012
8) EPA IRIS	EPA 2010
9) NAS Reports and Publications	1
An Assessment of the Health Risks of Seven Pesticides Used for	1 NRC1982
Termite Control	
10) WHO (IPCS) INCHEM-related documents (a-k below) a) CICADS	
,	
b) EHC	WHO1987-EHC
c) HSGs	WHO1989- HSG
d) ICSCs	IPCS2003 IPCS2012
e) JECFA	WHO2002-JECFA
f) JMPR	WHO2002-JECFA
g) KemI-Riskline	
h) PDs	
i) PIMS	INCHEM1988
i) SIDS	INCHEM1988
k) UKPID	
11) California EPA Prop 65 hazard identification documents	
12) Health Canada	HC2008
12) Heatur Callaua	HC2008 HC2011
	1102011

Table 1a. Comprehensive sources or reviews

Table 1b. General information sources

Source	Name of document
1) U.S. National Library of Medicine (NLM)- TOXNET	
a) HSDB	HSDB2003 (PCP, Na)
	HSDB2010 (PCP)
b) CCRIS	CCRIS2008
c) GENETOX	GENETOX1991a (PCP,
	Na)

	GENETOX1991b (PCP,
	Acetate)
	GENETOX1991c (PCP)
d) ITER	ITER2010
e) LactMed	NF
f) CPD	CPDB2007
g) CTD	CTD2012
2) PubChem	PubChem2012a (PCP)
	PubChem2012b (PCP, Na)
3) Kirk-Othmer Encyclopedia-	
Pentachlorophenol- NF	
Chlorophenols- Desmurs & Ratton 2000	DesmursRatton2000
Polyhalogenated Phenols- NF	
Wood Preservatives- NF	
4) USGS (Minerals	NA

Table 1c. European Union and other International sources- sources to search

Source	Name of document
1) International Uniform Chemical Information Database (IUCLID)	—
2) European Chemicals Agency	ECHA2007
	CLH2012
3) The International Portal on Food Safety, Animal and Plant Health	EFSA2012 EFSA2009
(IPFSAPH	WTO2008 JMPR1995
	JMPR1998
	JMPR2003
4) The European Food Safety Authority	
5) European Centre for Disease Prevention and Control (ECDC)	NA
6) European Monitoring Centre for Drugs and Drug Addiction	NA
7) International Labour Organization (ILO)	ILS2004
8) United Nations Environment Programme (UNEP)	132 hits
	Saved: CEP1993

Exposure-Related Sources Checklist for: <u>Pentachlorophenol (87-86-5)</u>

Source	Name of document
1) U.S. National Library of Medicine (NLM)- TOXNET	
a) ChemIDplus	ChemID2012
b) Haz-Map	HazMap2012a (PCP, Na)
	HazMap2012b
	(chlorophenols)
c) HPD	
d) TOXMAP	TOXMAP2011 (TRI)
	TOXMAP2009 (Superfund
2) Akron database	Akron2010a (PCP)
,	Akron2010b (PCP, Na)
3) Chem Sources Suppliers	ChemSources2012
4) National Health and Nutrition Examination Survey (NHANES) data	CD C2000
Urinary PCP data identified for 2001–2002 and 2003–2004	CDC2009
NHANES surveys; percent of values in the survey below detection	CDC2011
limit document identified.	CDC2013
5) National Occupational Exposure Survey (NOES) (1981–1983)	NIOSH1990
6) National Institute for Occupational Safety and Health (NIOSH) -	Rosensteel 1978
Hazard Evaluation and Technical Assistance (HETA) reports	Lee 1986
6 HETA documents identified	Lee and Lucas 1983
	Gunter and Thoburn 1980
	Markel <i>et al.</i> 1977
	Markel and Lucas 1975
7) National Response Center (NRC) Database	NRC2012a
() National Response Center (NRC) Database	(Pentachlorophenol – 98)
	NRC2012b (PCP, $Na - 3$)
	NRC2012c (PCP – 19)
8) U.S. International Trade Commission (USITC) Interactive Tariff	
and Trade DataWeb- Import/Export data	USITC2012
9) EPA Toxics Release Inventory (TRI)	TRI2011
///// /// /// / / / / / / / / / / / / / / / / / / /	TRI2012
10) Environmental Protection Agency (EPA) AP-42, Compilation of	
Air Pollutant Emission Factors	—
11) EPA EJView Database	
12) EPA High Production Volume Chemicals (HPV Challenge	
Program Chemical List)	—
13) EPA Chemical Data Reporting Rule (CDR) (formerly Inventory	
Update Rule [IUR])	EPA2012
14) EPA Locating and Estimating (L&E) documents	
15) EPA/Office of Pesticide Programs (OPP) Chemical Ingredients	
Database	NPIRS2013
16) Food and Drug Administration (FDA) Pesticide Monitoring	FDA2008a
Database	FDA2008b
17) FDA Orange Book	NA
18) FDA Total Diet Study	FDA2006 (1991-3 to 2003
Not found in 2004-5 market baskets	4 market baskets)
19) Medline Plus	
,	
20) Linited States Patent Ottice	LICDTO2012
20) United States Patent Office	USPTO2013
 20) United States Patent Office 48 files identified with "pentachlorophenol" in the patent title 21) Trademark Electronic Search System (TESS) 	03P102013

Table 2. Exposure- and properties-specific sources

	Weyerhaeuser1999
23) Dow Chemical Product Safety Assessments	

Information type	Data sources	
Synonyms	National Library of Medicine databases (e.g., ChemIDplus, Hazardous Substances	
	Data Base)	
Metabolites	EPA (2010), NTP (1999), IARC (1991), Dalhaus et al. (1996)	

Table 3. Data sources for pentachlorophenol searches

Table 4. Literature search approach for pentachlorophenol

Substance	Search terms	Topics (combined with) ^a
Pentachlorophenol synonyms	Pentachlorophenol, 87-86-5 (CASRN), hydroxypentachlorobenzene, pentachlorobenzene, pentachlorophenate, Dowicide EC-7, Dowicide 7	Human exposure Toxicokinetics Human cancer studies Cancer studies in experimental animals Genotoxicity Toxicity Mechanism
Pentachlorophenol metabolites and their synonyms	tetrachlorophydroquinone (TCHQ), tetrachloro-1,2-hydroquinone (TCoHQ), tetrachlorocatechol (TCpCAT), tetrachloro- <i>p</i> -benzoquinone (TCpBQ), tetrachloro-1,4-benzosemiquinone (TCpSQ), tetrachloro-1,2- benzosemiquinone (TCoSQ), tetrachlorophenol, and trichlorophenol	Human cancer studies Cancer studies in experimental animals (for the mechanistic section) Genotoxicity Toxicity Mechanism
Chemical class synonyms	chlorophenols/chlorinated phenols/polychlorinated phenols	Cancer studies in experimental animals (for the mechanistic section) Genotoxicity Toxicity Mechanism
Exposure scenarios (Dye industry, rubber chemical manufacturing, and herbicide manufacturing)	(wood and preserv*) OR lumber OR sawmill OR fenc*	Human cancer studies

^a Search terms for each of these topics were developed in consultation with an informational specialist.

Table 5. Search term	s for monograph	topics for 1	pentachlorophenol
Tuste et seur en term	s tor monograph	topics for	of the children of the childre

Monograph Topic	Search terms used in PubMed, Scopus, and Web of Science	MeSH terms used in Pubmed
Exposure	exposure OR occurrence OR oral OR dermal OR air OR water OR food OR soil OR environmental pollut* OR environmental exposure* OR occupational exposure*	("Environmental Pollutants" [MeSH] OR "Environmental Pollution" [MeSH])
ADME/ Toxicokinetics	<i>Toxicokinetic search terms</i> - administration OR absorption OR distribution OR tissue distribution OR bioavailab* OR biological availability OR metaboli* OR biotransform* OR activat* OR bioactivat* OR	<i>Toxicokinetic search</i> <i>terms-</i> "Pharmacokinetics"[Mesh]) OR "Metabolism"[Mesh]) OR "Cytochrome P450

Monograph Topic	Search terms used in PubMed, Scopus, and Web of Science	MeSH terms used in Pubmed
	detoxif* OR excret* OR clearance OR eliminat* OR kinetic* OR pharmacokinetic* OR toxicokinetic* OR cytochrome P450	Enzyme System"[Mesh]
	Combine with AND	
	Animal study search terms- in vivo OR animal* OR mouse OR mice OR rat OR hamster OR guinea pig OR rabbit OR monkey OR dog	
Human Cancer	Cancer search terms- cancer OR mortality OR follow-up OR incidence)	None
	Combine with AND	
	<i>Epidemiology search terms</i> - epidemiogic* OR workers OR case-control OR cohort OR case-report OR case-series	
Animal Tumors	Cancer search terms- cancer OR neoplasm* OR carcinogen* OR malignan* OR oncogene* OR tumor* OR tumour*	Cancer search terms- "Neoplasms"[Mesh]) OR "Carcinogens"[Mesh]
	Combine with AND	
	Animal study search terms- animal* OR mouse OR mice OR rat OR hamster OR "guinea pig" OR rabbit OR monkey OR dog	
Genotoxicity	genetic toxicology" OR clastogen* OR "DNA strand break*" OR "unscheduled DNA synthesis" OR "UDS" OR aneuploid OR aneuploid* OR polyploid OR polyploid* OR "neoplastic cell transformation" OR "chromosom* aberration*" OR cytogenetic OR cytogenetic* OR "DNA adduct*" OR "DNA damage" OR "DNA repair" OR crosslink* OR "germ-line mutation" OR micronucle* OR mutagen OR mutagen* OR mutation OR mutation* OR oncogen* OR "sister chromatid exchange" OR "SCE" OR "SOS response*" OR "Ames test" OR "gene expression" OR "cell proliferation" OR cytotoxic OR cytotoxic* OR	"DNA Damage"[Mesh] OR "DNA Repair"[Mesh] OR "Mutagens"[Mesh] OR "Mutation"[Mesh] OR "Cytogenetic Analysis"[Mesh] OR "Oncogenes"[Mesh] OR "Mutagenicity Tests"[Mesh]
Toxicity	toxic* OR toxin*OR cytotoxic* OR (nephrotoxic* OR hepatotoxic* OR pneumotoxic* OR thyrotoxic*	"Toxic Actions"[Mesh]) OR "Toxicity Tests"[Mesh]) OR "adverse effects" [Subheading]
Mechanisms of Carcinogenicity	 ((mode OR mechanism*) AND action) OR (carcinogen OR genetic OR epigenetic OR inhibit* OR promot* OR interact* OR activate* OR detoxific* OR "oxidative damage" OR alkylat* OR adduct)) AND ((animal OR animals OR mouse OR mice OR 	

Monograph	Search terms used in PubMed, Scopus, and	MeSH terms used in
Topic	Web of Science	Pubmed
	rat OR hamster OR "guinea pig" OR rabbit OR monkey OR dog OR pig) OR (person* OR people OR individual* OR subject* OR participant*))	

Part II. Updating the literature search

The literature searches will be updated prior to submitting the draft monograph for peer review and prior to finalizing the monograph. Monthly search alerts for pentachlorophenol synonyms, metabolites, chemical class, exposure scenarios (human cancer), and topic-focused searches were created in PubMed, Scopus, and Web of Science, and the results of these searches from the closing date of the initial search will be downloaded for review.

Part III. Review of citations using web-based systematic review software

Citations retrieved from literature searches were uploaded to web-based systematic review software and screened using inclusion and exclusion criteria. Multi-level reviews of the literature were conducted, with initial reviews (Level 1) based on titles and abstracts only to identify citations that could be excluded and to assign the included literature to one or more monograph topics; subsequent reviews (Level 2) for literature assigned to the various monograph topics (Exposure, ADME & TK, Human cancer studies, etc.) were based on full-text (i.e., PDFs) of the papers and were carried out by the writer and scientific reviewer for each monograph section. Two reviewers, at least one of whom is a member of the ORoC at NIEHS, participated at each level of review.

The questions based on inclusion/exclusion criteria for Levels 1 and 2 are listed below.

Inclusion/exclusion questions for literature

Level 1 (Primary screening using titles and abstracts):

Literature identified from searches in the major databases were categorized in one of three areas-

Q1) General Search (RefIDs 00001-20000)

- O2) Human Cancer Search (RefIDs 20001-40000)
- Q3) Animal Tumors Search (RefIDs 40001-60000)

Note: In the context of the systematic review of literature used for pentachlorophenol, "relevant information" as it applies to primary screening can include any of the following:

- The article specifically mentions pentachlorophenol, a metabolite, or structural analogue and reports information on one of the topics included in a cancer evaluation (see the list of topics below)
- The article does not specifically mention pentachlorophenol or any related substance, but it does one of the following:
 - It reports information on one of the topics included in a cancer evaluation with potential for exposure to pentachlorophenol and should be included until full-text review, which would provide more information if the study is specific for exposure to pentachlorophenol or a related substance.
 - It reports information on an exposure scenario that could include exposure to pentachlorophenol.
 - It reports information on methodology that is potentially informative for evaluating cancer or mechanistic studies on exposure to pentachlorophenol.
 - It reports information on a potential mode of action that may be informative for pentachlorophenol.

General Search:

Should we obtain a pdf of this article because it appears to contain potentially relevant information for the review of pentachlorophenol?

OYes

ONo

Human Cancer Search:

Does this publication appear to contain information on potential exposure to pentachlorophenol (including exposure inferred from knowledge of an exposure scenario) and human cancer? Relevant information includes, but is not limited to, epidemiologic studies, descriptive studies, pooled analyses, meta-analyses, reviews, letters to editors, exposure-assessment studies (for use in epidemiologic studies) and information on co-exposures or potential confounders and other special topics of relevance to the evaluation.

OYes

ONo

Cancer in Experimental Animals Search:

Does this paper potentially contain information on exposure of animals to pentachlorophenol (or to a metabolite, structural analogue, or member of the same chemical class) and the incidence or tumors of the potential for tumor formation (including negative results)?

OYes

ONo

When "Yes" is selected for any of the questions above, the question below is addressed next:

For which sections of the monograph does the article contain useful information? Check all that apply.

- □ Properties and Human Exposure
- □ Toxicokinetics (also includes ADME, i.e., absorption, distribution, metabolism, and excretion)
- Human Cancer Studies
- □ Studies of Cancer in Experimental Animals
- □ Mechanisms- Genetic Toxicology
- □ Mechanisms- Toxicity
- □ Mechanisms of Carcinogenicity

When "No" is selected for any of the questions above, the next step depends on the category (i.e., general, human, or animal searches).

General Search:

Check the reason below that explains the exclusion of this study from further consideration.

O It does not contain relevant information on the candidate substance or any related substance (metabolite, structural analogue, or member of the same chemical class). O It contains information relevant to the candidate substance or a related substance (metabolite, structural analogue, or member of the same chemical class), but it does not contain information relevant to any topic covered by the monograph. O Other. (Enter response in text box.)

Human Cancer Search:

If the response to Question 1 is "No," identify all reasons that apply from the list below for excluding this publication from the Human Cancer section. OPotential exposure to pentachlorophenol is not likely in this study.

OPotential exposure to pentachlorophenol is likely but the study is not a study in humans or related to an issue relevant to interpreting epidemiologic data. OOther. (Enter response in text box.)

Cancer in Experimental Animals Search:

Check the reason below that explains the exclusion of this study from further consideration.

O It does not contain relevant information on the candidate substance or any related substance (metabolite, structural analogue, or member of the same chemical class). O It contains information relevant to the candidate substance or a related substance (metabolite, structural analogue, or member of the same chemical class), but it does not contain information relevant to any topic covered by the monograph. O Other. (Enter response in text box.)

Level 2 (Full text review):

Note: Level 2 reviews exist for all major topics in the monograph, i.e., (1) Exposure, (2) Toxicokinetics (including ADME), (3) Human cancer studies, (4) Animal tumor studies, (5) Genetic toxicology, (6) Toxicity, and (7) Mechanisms of Action. The reviewers for Level 2 topics are asked to consider the following question for all papers:

If this paper could have useful information for any additional sections of the monograph based on your review of the PDF, indicate those additional sections below.

Properties and Human Exposure

□ Toxicokinetics (also includes ADME, i.e., absorption, distribution, metabolism, and excretion)

Human Cancer Studies

□ Studies of Cancer in Experimental Animals

□ Mechanisms- Genetic Toxicology

□ Mechanisms- Toxicity

☐ Mechanisms of Carcinogenicity

Exposure

1. Does this paper contain information that could be useful in answering the key questions about exposure?

OYes

ONo

2. If the answer to Question #1 is "No," select the reason below for excluding it from review.

O It does not contain relevant information on the candidate substance (or one of its metabolites or analogues.

O It is related to the candidate substance (or one of its metabolites or analogues), but the paper does not contain information that will help answer the key questions about exposure.

Other. (Enter response in text box.)

Note: In the context of the systematic review of literature used for pentachlorophenol, "useful information" as it applies to screening for the exposure section can include information, from either primary research papers, review articles, databases, or other published sources, on any of the following topics: occupational exposure, environmental occurrence, occurrence in consumer products, food, cigarette smoke, or other sources, biological indices of exposure, and Federal regulations or guidelines to reduce exposure.

Toxicokinetics (including Absorption, Distribution, Metabolism, and Excretion)

1. Does this paper contain information that could be useful in answering the key questions about toxicokinetics?

O Yes O No

2. If the answer to Question #1 is "No," select the reason below for excluding it from review.

O It does not contain relevant information on the candidate substance (or one of its metabolites or analogues.

O It is related to the candidate substance (or one of its metabolites or analogues), but the paper does not contain information that will help answer the key questions about toxicokinetics.

OOther. (Enter response in text box.)

Note: In the context of the systematic review of literature used for pentachlorophenol, "useful information" as it applies to screening for the toxicokinetics (and ADME) section can include (but is not limited to) information from primary research papers or review articles on any of the following topics: absorption, distribution, metabolism, excretion (ADME), toxicokinetics, and physiologically based pharmacokinetic models (PBPK).

Human Cancer

(1) Does this publication contain relevant information (as defined above) on potential exposure to pentachlorophenol (including exposure inferred from knowledge of an exposure scenario) and human cancer?

O Yes

O No

Note: In the context of the systematic review of literature used for pentachlorophenol, "useful papers" can include (1) cohort studies, (2) case-control studies, (3) case-series studies, or (4) other papers containing useful information. The specific category to which this paper belongs should be indicated in Question #2.

- (2) If the answer to Question #1 is "Yes," what is the study type? (Select all that apply.)
 - **O** Cohort study- primary (index) reference
 - Cohort study- auxiliary (related) reference
 - O Case-control study- primary (index) reference
 - O Case-control study- auxiliary (related) reference
 - O Case-series study- primary (index) reference
 - **O** Case-series study- auxiliary (related) reference
 - O Other papers directly related to above studies (e.g., letters to the editor, metaanalyses, pooled analyses, etc.)
 - **O** Other (e.g., review articles, studies on co-exposures or confounders, etc.)
- (3) If the response to Question #1 is "No," identify all reasons that apply from the list below for excluding this publication from the Human Cancer section.
 - **O** (a) No information is provided on potential exposure to pentachlorophenol in this study.
 - (b) Potential exposure to pentachlorophenol is likely in the study or is mentioned in the review or publication, but the publication is not one of the following:
 - (i) an epidemiologic study (such as cohort, case-control, ecological, pooled, meta-analysis) or descriptive study (such as case report or case-series) that provides information on human cancer.
 - (ii) a review, letter to the editor, or abstract, or other type of study provided relevant information related to pentachlorophenol and human cancer.
 - (iii) a study or other source of data that provides information, such as on exposure assessment, relevant to evaluating the epidemiologic studies.
 - (c) The publication does not provide information on co-exposures or potential confounders or other special topic(s) relevant to the evaluation.

Note: In the context of the systematic review of literature used for pentachlorophenol, "useful information" as it applies to screening for the human cancer section can include, but is not limited to, epidemiologic studies, descriptive studies, pooled analyses, metaanalyses, case reports, reviews, letters to editors, exposure-assessment studies (for use in epidemiologic studies) and information on co-exposures or potential confounders and other special topics of relevance to the evaluation.

Animal Tumors

 Does this paper contain information that could be useful in answering the key questions about animal tumors?
 O Yes ONo

2. If the answer to Question #1 is "No," select the reason below for excluding it from review.

O It does not contain relevant information on the candidate substance (or one of its metabolites or analogues.

O It is related to the candidate substance (or one of its metabolites or analogues), but the paper does not contain information that will help answer the key questions about animal tumors.

OOther. (Enter response in text box.)

Note: In the context of the systematic review of literature used for pentachlorophenol, "useful information" as it applies to screening for the animal tumors section can include, but is not limited to, information from primary research papers or review articles on (1) chronic studies (ideally for the lifetime of the animal) in experimental animals that are assessing neoplastic endpoints, non-cancer data important for cancer assessment, such as preneoplastic lesions that are considered part of a morphologic continuum to neoplasia, or (2) subchronic studies in experimental animals that provide information on preneoplastic lesions, neoplastic lesions, or on dose setting for chronic studies.

Genetic Toxicology

- Does this paper contain information that could be useful in answering the key questions about genetic toxicology?
 O Yes
 O No
- 2. If the answer to Question #1 is "No," select the reason below for excluding it from review.

O It does not contain relevant information on the candidate substance (or one of its metabolites or analogues).

O It is related to the candidate substance (or one of its metabolites or analogues), but the paper does not contain information that will help answer the key questions about genetic toxicology.

OOther. (Enter response in text box.)

Note: In the context of the systematic review of literature used for pentachlorophenol, "useful information" as it applies to screening for the genetic toxicology section can include information from primary research papers or review articles on studies in experimental systems (both *in vitro* and *in vivo*) and in exposed humans assessing the following endpoints: both direct and indirect DNA or chromosomal damage, events associated with mutagenesis, cellular transformation or other related effects.

Toxicity

- 1. Does this paper contain information that could be useful in answering the key questions about toxicity?
 - O Yes

ONo

2. If the answer to Question #1 is "No," select the reason below for excluding it from review.

O It does not contain relevant information on the candidate substance (or one of its metabolites or analogues.

O It is related to the candidate substance (or one of its metabolites or analogues), but the paper does not contain information that will help answer the key questions about toxicity.

Other. (Enter response in text box.)

Note: In the context of the systematic review of literature used for pentachlorophenol, "useful information" as it applies to screening for the toxicity section can include any of the following: information from primary research papers or review articles on the toxicity of pentachlorophenol to organs or tissues that were identified as tumor sites from studies in experimental animals.

Mechanistic data

1. Does this paper contain information that could be useful in answering the key questions about mechanistic data?

OYes

ONo

2. If the answer to Question #1 is "No," select the reason below for excluding it from review.

O It does not contain relevant information on the candidate substance (or one of its metabolites or analogues.

O It is related to the candidate substance (or one of its metabolites or analogues), but the paper does not contain information that will help answer the key questions about mechanistic data.

Other. (Enter response in text box.)

Note: In the context of the systematic review of literature used for pentachlorophenol, "useful information," as it applies to screening for the mechanistic data section, can include information from primary research papers or review articles on data related to molecular alterations associated with carcinogenicity or potential modes of action, such as genotoxicity, epigenetics, gene expression, immune-response modulation, inflammation, cytotoxicity and compensatory cell proliferation, mitogenicity, chronic metabolic or physiologic overload, nutrient deficiency, and interference with intercellular

communication, for pentachlorophenol, its metabolites and analogues.

Part IV. General searches for by-products of synthesis of pentachlorophenol

The following by-products of synthesis of pentachlorophenol were identified from NTP Technical Reports 349 and 483:

Dichlorophenol (Table 6a) Trichlorophenol (Table 6b) Tetrachlorophenol (Table 6c) Pentachlorobenzene Table 6d) Hexachlorobenzene Table 6e) Tetrachlorodibenzodioxin Table 6f) Hexachlorodibenzodioxin (Table 6g) Heptachlorodibenzodioxin (Table 6h) Octachlorodibenzodioxin (Table 6i) Pentachlorodibenzofuran (Table 6j) Hexachlorodibenzofuran (Table 6k) Heptachlorodibenzofuran (Table 61) Octachlorodibenzofuran (Table 6m) Heptachlorohydroxydiphenyl ether (No information found) Octachlorohydroxydiphenyl ether (No information found) Nonachlorohydroxydiphenyl ether (No information found) Hexachlorohydroxydibenzofuran (No information found) Heptachlorohydroxydibenzofuran (No information found)

The general sources of information, e.g., NTP technical reports, IARC monographs, or ATSDR toxicological profiles, were searched for each of these substances and the results are summarized in Table 6a-m below for each substance.

Source	Name of document
1) NTP technical reports	TR353
2) NTP nomination for toxicological evaluation documents	_
3) NTP RoC Background Documents	_
4) NTP RoC Profiles	_
5) OHAT (formerly CERHR)	_
6) IARC monographs	Volume 71
7) ATSDR Toxicological Profiles	-
8) EPA IRIS	IRIS1987
9) WHO (IPCS) INCHEM-related documents (a-k below)	-
a) CICADS	_
b) EHC	_
c) HSGs	_
d) ICSCs	IPCS2004-2,4-DCP
	IPCS2004-2,5-DCP
	IPCS2004-3,5-DCP
e) JECFA	-
f) JMPR	WHO1974-JMPR
	WHO1975-JMPR
g) KemI-Riskline	_
h) PDs	_
i) PIMS	_
j) SIDS	_
k) UKPID	_
10) California EPA Prop 65 hazard identification documents	_

 Table 6a. General Sources Checklist for:
 Dichlorophenol

Table 05. General Sources enceknist for. Themorophenor	
Source	Name of document
1) NTP technical reports	TR155
2) NTP nomination for toxicological evaluation documents	-
3) NTP RoC Background Documents	_
4) NTP RoC Profiles	3 rd RoC
5) OHAT (formerly CERHR)	_
6) IARC monographs	Volume 20
	Volume 71
	Supplement 4
	Supplement 7
7) ATSDR Toxicological Profiles	
8) EPA IRIS	EPA1987a
	EPA1987b
9) WHO (IPCS) INCHEM-related documents (a-k below)	_
a) CICADS	_
b) EHC	_
c) HSGs	-
d) ICSCs	IPCS2012-2,3,4-TCP
	IPCS2012-2,3,5-TCP
	IPCS2012-2,3,6-TCP
e) JECFA	WHO2002-JECFA
f) JMPR	_
g) KemI-Riskline	-
h) PDs	_
i) PIMS	_
j) SIDS	_
k) UKPID	_
10) California EPA Prop 65 hazard identification documents	_

 Table 6b. General Sources Checklist for:
 Trichlorophenol

Table ve. General Sources enceknist for: <u>Tetraemorophenor</u>	
Source	Name of document
1) NTP technical reports	
2) NTP nomination for toxicological evaluation documents	_
3) NTP RoC Background Documents	_
4) NTP RoC Profiles	_
5) OHAT (formerly CERHR)	_
6) IARC monographs	Volume 71 Supplement 7
7) ATSDR Toxicological Profiles	_
8) EPA IRIS	EPA1987-IRIS
9) WHO (IPCS) INCHEM-related documents (a-k below)	_
a) CICADS	_
b) EHC	_
c) HSGs	_
d) ICSCs	IPCS2012-2,3,4,6-TeCP
e) JECFA	_
f) JMPR	_
g) KemI-Riskline	_
h) PDs	_
i) PIMS	_
j) SIDS	_
k) UKPID	_
10) California EPA Prop 65 hazard identification documents	_

 Table 6c. General Sources Checklist for:
 Tetrachlorophenol

Source	Name of document
1) NTP technical reports	TOX006
2) NTP nomination for toxicological evaluation documents	_
3) NTP RoC Background Documents	_
4) NTP RoC Profiles	_
5) OHAT (formerly CERHR)	_
6) IARC monographs	Volume 53 Volume 79
7) ATSDR Toxicological Profiles	_
8) EPA IRIS	EPA1987-IRIS
9) WHO (IPCS) INCHEM-related documents (a-k below)	_
a) CICADS	_
b) EHC	_
c) HSGs	_
d) ICSCs	IPCS2012
e) JECFA	_
f) JMPR	_
g) KemI-Riskline	_
h) PDs	_
i) PIMS	_
j) SIDS	_
k) UKPID	_
10) California EPA Prop 65 hazard identification documents	_

 Table 6d. General Sources Checklist for:
 Pentachlorobenzene

Name of document
_
_
_
3 rd RoC
_
Volume 20
Volume 79
Supplement 4
Supplement 7
CDC2011-ATSDR
EPA1988-IRIS
_
_
WHO1997-EHC
WHO1998-HSG
IPSC2012
_
WHO1969-JMPR
WHO1973-JMPR
WHO1974-JMPR
_
WHO-No.26
INCHEM-PIMS
_
_
_

Table 6f. General Sources Checklist for: Tetrachlorodibenzodioxin	
Source	Name of document
1) NTP technical reports	TR201
	TR209
2) NTP nomination for toxicological evaluation documents	_
3) NTP RoC Background Documents	_
4) NTP RoC Profiles	2 nd RoC
5) OHAT (formerly CERHR)	_
6) IARC monographs	Volume 69
	Volume 100f
	Supplement 7
7) ATSDR Toxicological Profiles	
8) EPA IRIS	EPA2011-IRIS
	EPA2012-IRIS
9) WHO (IPCS) INCHEM-related documents (a-k below)	-
a) CICADS	-
b) EHC	-
c) HSGs	-
d) ICSCs	IPCS2012
e) JECFA	WHO2002-JECFA
f) JMPR	-
g) KemI-Riskline	-
h) PDs	-
i) PIMS	-
j) SIDS	-
k) UKPID	-
10) California EPA Prop 65 hazard identification documents	-

Table 6g. General Sources Checklist for: Hexachlorodibenzodioxin	
Source	Name of document
1) NTP technical reports	TR198
	TR2002
2) NTP nomination for toxicological evaluation documents	_
3) NTP RoC Background Documents	_
4) NTP RoC Profiles	_
5) OHAT (formerly CERHR)	_
6) IARC monographs	Volume 53
	Volume 69
7) ATSDR Toxicological Profiles	_
8) EPA IRIS	EPA1987-IRIS
9) WHO (IPCS) INCHEM-related documents (a-k below)	_
a) CICADS	_
b) EHC	_
c) HSGs	_
d) ICSCs	_
e) JECFA	WHO2002-JECFA
f) JMPR	_
g) KemI-Riskline	_
h) PDs	_
i) PIMS	_
j) SIDS	-
k) UKPID	—
10) California EPA Prop 65 hazard identification documents	-

Table on, General Sources Checklist for: <u>Heptac</u>	nioroaldenzoaloxin
Source	Name of document
1) NTP technical reports	_
2) NTP nomination for toxicological evaluation documents	-
3) NTP RoC Background Documents	-
4) NTP RoC Profiles	-
5) OHAT (formerly CERHR)	-
6) IARC monographs	Volume 69
7) ATSDR Toxicological Profiles	-
8) EPA IRIS	-
9) WHO (IPCS) INCHEM-related documents (a-k below)	-
a) CICADS	-
b) EHC	-
c) HSGs	-
d) ICSCs	-
e) JECFA	WHO2002-JECFA
f) JMPR	-
g) KemI-Riskline	-
h) PDs	-
i) PIMS	-
j) SIDS	-
k) UKPID	-
10) California EPA Prop 65 hazard identification documents	-

Table 6h. General Sources Checklist for: _

Heptachlorodibenzodioxin

Table 6i.	General Sources	Checklist for:

Octachlorodibenzodioxin

Source	Name of document
1) NTP technical reports	_
2) NTP nomination for toxicological evaluation documents	_
3) NTP RoC Background Documents	_
4) NTP RoC Profiles	_
5) OHAT (formerly CERHR)	_
6) IARC monographs	Volume 53
7) ATSDR Toxicological Profiles	_
8) EPA IRIS	_
9) WHO (IPCS) INCHEM-related documents (a-k below)	_
a) CICADS	_
b) EHC	_
c) HSGs	_
d) ICSCs	_
e) JECFA	WHO2002-JECFA
f) JMPR	_
g) KemI-Riskline	_
h) PDs	_
i) PIMS	_
j) SIDS	_
k) UKPID	_
10) California EPA Prop 65 hazard identification documents	_

Table 6j. General Sources Checklist for: Pentacl	hlorodibenzofuran
Source	Name of document
1) NTP technical reports	TR209-1
	TR525
	TR526
2) NTP nomination for toxicological evaluation documents	_
3) NTP RoC Background Documents	_
4) NTP RoC Profiles	_
5) OHAT (formerly CERHR)	_
6) IARC monographs	Volume 69
	Volume 100F
7) ATSDR Toxicological Profiles	_
8) EPA IRIS	_
9) WHO (IPCS) INCHEM-related documents (a-k below)	_
a) CICADS	_
b) EHC	_
c) HSGs	_
d) ICSCs	_
e) JECFA	WHO2002-JECFA
f) JMPR	_
g) KemI-Riskline	-
h) PDs	-
i) PIMS	_
j) SIDS	_
k) UKPID	_
10) California EPA Prop 65 hazard identification documents	_

Table 6j. General Sources Checklist for:

Pentachlorodibenzofuran

 Table 6k. General Sources Checklist for:
 Hexachlorodibenzofuran

Source	Name of document
1) NTP technical reports	_
2) NTP nomination for toxicological evaluation documents	_
3) NTP RoC Background Documents	_
4) NTP RoC Profiles	_
5) OHAT (formerly CERHR)	_
6) IARC monographs	Volume 69 Volume 100F
7) ATSDR Toxicological Profiles	_
8) EPA IRIS	_
9) WHO (IPCS) INCHEM-related documents (a-k below)	_
a) CICADS	_
b) EHC	_
c) HSGs	_
d) ICSCs	_
e) JECFA	WHO2002-JECFA
f) JMPR	_
g) KemI-Riskline	_
h) PDs	_
i) PIMS	_
j) SIDS	_
k) UKPID	_
10) California EPA Prop 65 hazard identification documents	

 Table 6l. General Sources Checklist for:
 Heptachlorodibenzofuran

Source	Name of document
1) NTP technical reports	-
2) NTP nomination for toxicological evaluation documents	-
3) NTP RoC Background Documents	-
4) NTP RoC Profiles	-
5) OHAT (formerly CERHR)	—
6) IARC monographs	Volume 69
7) ATSDR Toxicological Profiles	—
8) EPA IRIS	—
9) WHO (IPCS) INCHEM-related documents (a-k below)	-
a) CICADS	-
b) EHC	-
c) HSGs	—
d) ICSCs	—
e) JECFA	WHO2002-JECFA
f) JMPR	-
g) KemI-Riskline	-
h) PDs	-
i) PIMS	
j) SIDS	
k) UKPID	-
10) California EPA Prop 65 hazard identification documents	_

 Table 6m. General Sources Checklist for:
 Octachlorodibenzofuran

Source	Name of document
1) NTP technical reports	_
2) NTP nomination for toxicological evaluation documents	_
3) NTP RoC Background Documents	_
4) NTP RoC Profiles	_
5) OHAT (formerly CERHR)	_
6) IARC monographs	Volume 69
7) ATSDR Toxicological Profiles	_
8) EPA IRIS	_
9) WHO (IPCS) INCHEM-related documents (a-k below)	_
a) CICADS	_
b) EHC	_
c) HSGs	_
d) ICSCs	_
e) JECFA	WHO2002-JECFA
f) JMPR	_
g) KemI-Riskline	_
h) PDs	_
i) PIMS	_
j) SIDS	_
k) UKPID	_
10) California EPA Prop 65 hazard identification documents	_

Part V. References used in the preparation of the draft monograph

- 1. Adachi S, Yoshida S, Kawamura K, Takahashi M, Uchida H, Odagiri Y, Takemoto K. 1994. Inductions of oxidative DNA damage and mesothelioma by crocidolite, with special reference to the presence of iron inside and outside of asbestos fiber. *Carcinogenesis* 15(4): 753-758.
- Ahlborg UG, Lindgren JE, Mercier M. 1974. Metabolism of pentachlorophenol. Arch Toxicol 32(4): 271-281. (Supported by the Swedish Environment Protection Board, the Bank of Sweden Tercentenary Fund, the Wallenberg Foundation and the National Institute of Mental Health. Authors affiliated with Karolinska Institute, Sweden; Université Catholique de Louvain, Belgium.)
- 3. Ahlborg UG, Larsson K, Thunberg T. 1978. Metabolism of pentachlorophenol in vivo and in vitro. *Arch Toxicol* 40(1): 45-53.
- 4. Ahlborg UG, Thunberg T. 1978. Effects of 2,3,7,8-tetrachlorodibenzo-p-dioxin on the in vivo and in vitro dechlorination of pentachlorophenol. *Arch Toxicol* 40(1): 55-61.
- 5. Akron. 2010. *The Chemical Database*. The Department of Chemistry at the University of Akron. http://ull.chemistry.uakron.edu/erd and search on CAS number. Accessed on 2/4/13.
- Anonymous. 1999. Public Health Assessment for Camilla Wood Preserving Company, Camilla, Mitchell County, Georgia, Region 4. CERCLIS No. GAD008212409, NTIS/PB2000-103266. Govt Reports Announcements & Index (GRA&I), No. 13. (as cited in ATSDR 2001)
- Arrhenius E, Renberg L, Johansson L. 1977. Subcellular distribution, a factor in risk evaluation of pentachlorophenol. *Chem Biol Interact* 18(1): 23-34. (Supported by the National Swedish Environment Protection Board and the National Swedish Research Council. Authors affiliated with University of Stockholm, Sweden; National Swedish Environment Protection Board, Sweden.)
- Ateeq B, Abul Farah M, Niamat Ali M, Ahmad W. 2002. Clastogenicity of pentachlorophenol, 2,4-D and butachlor evaluated by *Allium* root tip test. *Mutat Res* 514(1-2): 105-113. (Supported by the Indian Council of Agricultural Research and the Council of Scientific and Industrial Research, New Delhi, India. Authors affiliated with Aligarh Muslim University, India.)
- ATSDR. 1993a. Public Health Assessment for Koppers Company/Charleston, Charleston County, South Carolina, Region 4. CERCLIS No. SCD980310239. Government Reports Announcements & Index (GRA&I), No. 20. (as cited in ATSDR 2001)

- 10. ATSDR. 1993b. *Public Health Assessment for Munisport Landfill, North Miami, Dade County, Florida, Region 4*. CERCLIS No. FLD084535442. Government Reports Announcements & Index (GRA&I) Issue 09. (as cited in ATSDR 2001)
- ATSDR. 1995. Health Assessment for American Creosote Works, Incorporated, (Winnfield Plant), Winnfield, Winn Parish, Louisiana, Region 6. CERCLIS No. LAD000239814. Government Reports Announcements & Index (GRA&I) No. 13. (as cited in ATSDR 2001)
- 12. ATSDR. 2001. *Toxicological Profile for Pentachlorophenol*. Atlanta, GA: Agency for Toxic Substances and Disease Registry. 316 pp.
- 13. ATSDR. 2007b. *Health Consultation. Exposure Investigation Report, Meredith William C Co., Inc., East Point, Georgia.* Atlanta, GA: Agency for Toxic Substances and Disease Registry. 41 pp.
- Aurand K, Englert N, Krause C, Ulrich D, Walter R. 1981. [Pentachlorophenol containing wood preservatives in rooms]. *Schr-Reihe Ver WaBoLu* 52: 293-313. (as cited in WHO 1987)
- 15. Bader M, Zimmer H, Triebig G. 2007. Urinary pentachlorophenol in painters and bricklayers in a four-years time interval after the PCP prohibition ordinance in Germany. *Ind Health* 45(2): 338-342.
- 16. Ballhorn L, Rozman T, Rozman K, Korte F, Greim H. 1981. Cholestyramine enhances fecal elimination of pentachlorophenol in Rhesus monkeys. *Chemosphere* 10(8): 877-888.
- 17. Barbieri F, Colosio C, Schlitt H, Maroni M. 1995. Urine excretion of pentachlorophenol (PCP) in occupational exposure. *Pestic Sci* 43: 259-262.
- Bauchinger M, Dresp J, Schmid E, Hauf R. 1982. Chromosome changes in lymphocytes after occupational exposure to pentachlorophenol (PCP). *Mutat Res* 102(1): 83-88. (Support not reported. Authors affiliated with GSF, Germany; Institute of Practical Occupational Medicine, Germany.)
- 19. Benvenue A, Wilson J, Casarett LJ, Klemmer HW. 1967. A survey of PCP content in human urine. *Bull Environ Contam Toxicol* 2: 319-332.
- Berdowski SL, et al. 1997. The European emission inventory of heavy metals and persistant organic pollutants for 1990. UBA-FB report 104 02 672/03. Apeldoorn, TNO Institute of Environmental Science, Energy Research and Process Innovation. (as cited in Borysiewicz 2008)
- 21. Berkowitz GS, Obel J, Deych E, Lapinski R, Godbold J, Liu Z, Landrigan PJ, Wolff MS. 2003. Exposure to indoor pesticides during pregnancy in a multiethnic, urban cohort. *Environ Health Perspect* 111(1): 79-84.

- 22. Betts JJ, James SP, Thorpe WV. 1955. The metabolism of pentachloronitrobenzene and 2:3:4:6-tetrachloronitrobenzene and the formation of mercapturic acids in the rabbit. *Biochem J* 61(4): 611-617.
- 23. Boberg EW, Miller EC, Miller JA, Poland A, Liem A. 1983. Strong evidence from studies with brachymorphic mice and pentachlorophenol that 1'-sulfoöxysafrole is the major ultimate electrophilic and carcinogenic metabolite of 1'-hydroxysafrole in mouse liver. *Cancer Res* 43: 5163-5173.
- 24. Bond GG, McLaren EA, Lipps TE, Cook RR. 1989. Update of mortality among chemical workers with potential exposure to the higher chlorinated dioxins. *J Occup Med* 31(2): 121-123.
- 25. Borysiewicz M. 2008. *Pentachlorophenol*. Warsaw, Poland: Institute of Environmental Protection. 87 pp.
- 26. Bradman A, Barr DB, Claus Henn BG, Drumheller T, Curry C, Eskenazi B. 2003. Measurement of pesticides and other toxicants in amniotic fluid as a potential biomarker of prenatal exposure: a validation study. *Environ Health Perspect* 111(14): 1779-1782.
- 27. Braun WH, Sauerhoff MW. 1976. The pharmacokinetic profile of pentachlorophenol in monkeys. *Toxicol Appl Pharmacol* 38: 525-533.
- 28. Braun WH, Young JD, Blau GE, Gehring PJ. 1977. The pharmacokinetics and metabolism of pentachlorophenol in rats. *Toxicol Appl Pharmacol* 41(2): 395-406.
- 29. Braun WH, Blau GE, Chenoweth MB. 1979. The metabolism/pharmacokinetics of PCP in man, and a comparison with the rat and monkey. In *Toxicology and Occupational Medicine*. Deichmann, ed. New York, NY: Elsevier. p. 289-296.
- 30. Buhler DR, Rasmussen ME, Nakane HS. 1973. Occurrence of hexachlorophene and pentachlorophenol in sewage and water. *Environ Sci Technol* 7: 929-934. (as cited in WHO 1987 and ATSDR 2001)
- 31. Bundesamt fur Umweltschutz. 1983. [Polychlorinated organic compounds in Rheinfelden (Switzerland). Investigation of dust, soil, and grass samples: results and evaluation]. *Schriftenreihe Umweltschutz* 18: 32 pp. (as cited in WHO 1987)
- 32. Cabral JRP, Shubik P, Mollner T, Raitano F. 1977. Carcinogenic activity of hexachlorobenzene in hamsters. *Nature* 269: 510-511.
- Campbell CA, Teschke K, Bert J, Quintana PJ, Hertzman C. 1996. Pharmacokinetic model of dioxin and furan levels in adipose tissue from sawmill work involving chlorophenate fungicides. *Chemosphere* 33(12): 2373-2381.

- 34. Carreón T, Butler MA, Ruder AM, Waters MA, Davis-King KE, Calvert GM, Schulte PA, Connally B, Ward EM, Sanderson WT, Heineman EF, Mandel JS, Morton RF, Reding DJ, Rosenman KD, Talaska G. 2005. Gliomas and farm pesticide exposure in women: the Upper Midwest Health Study. *Environ Health Perspect* 113(5): 546-551.
- 35. Casarett LJ, Bevenue A, Yauger WL, Jr., Whalen SA. 1969. Observations on pentachlorophenol in human blood and urine. *Am Ind Hyg Assoc J* 30(4): 360-366.
- 36. Cautreels W, van Couwenberghe K, Guzman LA. 1977. Comparison between the organic fraction of suspended matter at a background and an urban station. *Sci Total Environ* 8: 79-88. (as cited in WHO 1987)
- 37. CDC. 2013. *Fourth National Report on Human Exposure to Environmental Chemicals*. Atlanta, GA: U.S. Department of Health and Human Services, Centers for Disease Control and Prevention. 324 pp.
- 38. Chang WC, Jeng JH, Shieh CC, Tsai YC, Ho YS, Guo HR, Liu HI, Lee CC, Ho SY, Wang YJ. 2003. Skin tumor-promoting potential and systemic effects of pentachlorophenol and its major metabolite tetrachlorohydroquinone in CD-1 Mice. *Mol Carcinog* 36(4): 161-170. (Support not reported. Authors affiliated with National Cheng Kung University, Taiwan; National Taiwan University Hospital and National Taiwan University, Taiwan; Sinlau Chistian Hospital, Taiwan; Taipei Medical University, Taiwan.)
- ChemIDplus. 2013. ChemIDplus Advanced. National Library of Medicine. http://chem.sis.nlm.nih.gov/chemidplus/chemidheavy.jsp and select Registry Number and search on CAS number. Accessed on 2/4/13.
- 40. Chhabra RS, Maronpot RM, Bucher JR, Haseman JK, Toft JD, Hejtmancik MR. 1999. Toxicology and carcinogenesis studies of pentachlorophenol in rats. *Toxicol Sci* 48(1): 14-20. (Support not reported. Authors affiliated with NIEHS, NC; Battelle Laboratories, OH.)
- 41. Chung N, Aust SD. 1995. Veratryl alcohol-mediated indirect oxidation of pentachlorophenol by lignin peroxidase. *Archives of biochemistry and biophysics* 322(1): 143-148.
- 42. Cline RE, Hill RH, Jr., Phillips DL, Needham LL. 1989. Pentachlorophenol measurements in body fluids of people in log homes and workplaces. *Arch Environ Contam Toxicol* 18(4): 475-481. (Suppot not reported. Authors affiliated with Centers for Disease Control, GA.)
- 43. Coad S, Newhook RC. 1992. PCP exposure for the Canadian general population: a multimedia analysis. *J Expo Anal Environ Epidemiol* 2(4): 391-413. (Supported by the Department of National Health and Welfare. Authors affiliated with Health and Welfare Canada.)

- 44. Cogliano VJ, Baan R, Straif K, Grosse Y, Lauby-Secretan B, El Ghissassi F, Bouvard V, Benbrahim-Tallaa L, Guha N, Freeman C, Galichet L, Wild CP. 2011. Preventable exposures associated with human cancers. *J Natl Cancer Inst* 103(24): 1827-1839.
- 45. Collins JJ, Budinsky RA, Burns CJ, Lamparski LL, Carson ML, Martin GD, Wilken M. 2006. Serum dioxin levels in former chlorophenol workers. *J Expo Sci Environ Epidemiol* 16(1): 76-84. (Supported by the Dow Chemical Company. Authors affiliated with Dow Chemical Company, MI.)
- 46. Collins JJ, Bodner KM, Wilken M, Haidar S, Burns CJ, Budinsky RA, Martin GD, Carson ML, Rowlands JC. 2007. Serum concentrations of chlorinated dibenzo-*p*-dioxins and dibenzofurans among former Michigan trichlorophenol and pentachlorophenol workers. *J Expo Sci Environ Epidemiol* 17(6): 541-548. (Supported by The Dow Chemical Company. Authors affiliated with The Dow Chemical Company, MI.)
- 47. Collins JJ, Bodner K, Haidar S, Wilken M, Burns CJ, Lamparski LL, Budinsky RA, Martin GD, Carson ML. 2008. Chlorinated dibenzo-*p*-dioxins, dibenzofurans, and biphenyl profiles of workers with trichlorophenol and pentachlorophenol exposures. *Chemosphere* 73(1 Suppl): S284-289.
- Collins JJ, Bodner K, Aylward LL, Wilken M, Swaen G, Budinsky R, Rowlands C, Bodnar CM. 2009a. Mortality rates among workers exposed to dioxins in the manufacture of pentachlorophenol. *J Occup Environ Med* 51(10): 1212-1219. (Supported by The Dow Chemical Company. Authors affiliated with The Dow Chemical Company, MI; Summit Toxicology, VA.)
- 49. Collins JJ, Bodner K, Aylward LL, Wilken M, Bodnar CM. 2009b. Mortality rates among trichlorophenol workers with exposure to 2,3,7,8-tetrachlorodibenzop-dioxin. *Am J Epidemiol* 170(4): 501-506.
- 50. Collins JJ. 2013. Occupational Studies of Workers in Pentachlorophenol Production. Dow Chemical Company. 26 pp.
- 51. Cranmer M, Freal J. 1970. Gas chromatographic analysis of pentachlorophenol in human urine by formation of alkyl ethers. *Life Sci* 9(3): 121-128.
- 52. Cravedi JP, Lafuente A, Baradat M, Hillenweck A, Perdu-Durand E. 1999. Biotransformation of pentachlorophenol, aniline and biphenyl in isolated rainbow trout (*Oncorhynchus mykiss*) hepatocytes: comparison with *in vivo* metabolism. *Xenobiotica* 29(5): 499-509. (Support not reported. Authors affiliated with INRA, France; Universidad de Vigo, Spain.)
- 53. Crosby DG, Beynon KI, Greve PA, Korte F, Still GG, Vonk JW. 1981. IUPAC Reports on Pesticides 14. Environmental Chemistry of Pentachlorophenol. *Pure Appl Chem* 53: 1051-1080.

- 54. Dahlgren J, Warshaw R, Horsak RD, Parker III FM, Takhar H. 2003a. Exposure assessment of residents living near a wood treatment plant. *Environ Res* 92: 99-109. (Supported by the law firm of Lundy and Davis, Lake Charles, Louisiana. Authors affiliated with UCLA School of Medicine, CA; Comprehensive Health Screening Service, CA; 3TM International, Inc., TX; Environmental Technologies, TX.)
- 55. Dahlgren J, Takhar H, Schecter A, Schmidt R, Horsak R, Paepke O, Warshaw R, Lee A, Anderson-Mahoney P. 2007. Residential and biological exposure assessment of chemicals from a wood treatment plant. *Chemosphere* 67(9): S279-285.
- 56. Dahlhaus M, Almstadt E, Appel KE. 1994. The pentachlorophenol metabolite tetrachloro-*p*-hydroquinone induces the formation of 8-hydroxy-2-deoxyguanosine in liver DNA of male B6C3F₁ mice. *Toxicol Lett* 74(3): 265-274. (Support not reported. Authors affiliated with Abteilung für Pflanzenbehandlungs-, Schädlingsbekämpfungs- und Holzschutzmittel, Max von Pettenkofer-Institut, Germany.)
- 57. Dahlhaus M, Almstadt E, Henschke P, Luttgert S, Appel KE. 1995. Induction of 8-hydroxy-2-deoxyguanosine and single-strand breaks in DNA of V79 cells by tetrachloro-*p*-hydroquinone. *Mutat Res* 329(1): 29-36. (Support not reported. Authors affiliated with Federal Institute for Health Protection of Consumers and Veterinary Medicine, Germany.)
- 58. Dahlhaus M, Almstadt E, Henschke P, Lüttgert S, Appel KE. 1996. Oxidative DNA lesions in V79 cells mediated by pentachlorophenol metabolites. *Arch Toxicol* 70: 457-460. (Support not reported. Authors affiliated with Federal Institute for Health Protection of Consumers and Veterinary Medicine, Germany.)
- 59. Dai J, Wright MW, Manderville RA. 2003. An oxygen-bonded C8deoxyguanosine nucleoside adduct of pentachlorophenol by peroxidase activation: evidence for ambient C8 reactivity by phenoxyl radicals. *Chem Res Toxicol* 16: 817-821. (Supported by the National Institutes of Health. Authors affiliated with Wake Forest University, NC.)
- 60. Dai J, Sloat AL, Wright MW, Manderville RA. 2005. Role of phenoxyl radicals in DNA adduction by chlorophenol xenobiotics following peroxidase activation. *Chem Res Toxicol* 18: 771-779. (Supported by the Lance Armstrong Foundation and the EPA. Authors affiliated with Wake Forest University, NC.)
- 61. Daimon H, Sawada S, Asakura S, Sagami F. 1997. Inhibition of sulfotransferase affecting in vivo genotoxicity and DNA adducts induced by safrole in rat liver. *Teratog Carcinog Mutagen* 17(6): 327-337.
- 62. Daniel V, Huber W, Bauer K, Opelz G. 1995. Impaired in-vitro lymphocyte responses in patients with elevated pentachlorophenol (PCP) blood levels. *Arch Environ Health* 50(4): 287-292.

- Daniel V, Huber W, Bauer K, Suesal C, Mytilineos J, Melk A, Conradt C, Opelz G. 2001a. Association of elevated blood levels of pentachlorophenol (PCP) with cellular and humoral immunodeficiencies. *Arch Environ Health* 56(1): 77-83. (Support not reported. Authors affiliated with University of Heidelberg, Germany.)
- 64. Daniel V, Huber W, Bauer K, Suesal C, Conradt C, Opelz G. 2001b. Associations of blood levels of PCB, HCHS, and HCB with numbers of lymphocyte subpopulations, in vitro lymphocyte response, plasma cytokine levels, and immunoglobulin autoantibodies. *Environ Health Perspect* 109(2): 173-178.
- 65. Deichmann WB, Machle W, Kitzmiller KV, Thomas G. 1942. Acute and chronic effects of pentachlorophenol and sodium pentachlorophenate upon experimental animals. *J Pharmacol Exp Ther* 76: 104-117.
- 66. Delclos KB, Miller EC, Miller JA, Liem A. 1986. Sulfuric acid esters as major ultimate electrophilic and hepatocarcinogenic metabolites of 4-aminoazobenzene and its N-methyl derivatives in infant male C57BL/6J x C3H/HeJ F1 (B6C3F1) mice. *Carcinogenesis* 7(2): 277-287. (Supported by the National Cancer Institute, United States Department of Health and Human Services. Authors affiliated with University of Wisconsin Medical School, WI; National Center for Toxicological Research, AR.)
- 67. DeMarini DM, Brooks HG, Parkes DG, Jr. 1990. Induction of prophage lambda by chlorophenols. *Environ Mol Mutagen* 15(1): 1-9.
- 68. Demers PA, Davies HW, Friesen MC, Hertzman C, Ostry A, Hershler R, Teschke K. 2006. Cancer and occupational exposure to pentachlorophenol and tetrachlorophenol (Canada). *Cancer Causes Control* 17(6): 749-758. (Supported by the Workers' Compensation Board of British Columbia, the BC Sawmill Workers Cohort Study from the Canadian Institutes for Health Research, the British Columbia Lung Association, and the U.S. National Institute for Occupational Safety and Health. Authors affiliated with University of British Columbia, Canada.)
- 69. Demers PA. 2013. *Epidemiologic Studies of Pentachlorophenol Users*. Toronto, Canada: Occupational Cancer Research Cantre. 18 pp.
- 70. Detrick RS. 1977. Pentachlorophenol, possible sources of human exposure. *Forest Proc J* 27: 13-16. (as cited in ATSDR 2001)
- Dietz F, Traud J. 1978. [On the analysis of phenols, particularly chlorophenols, in water by means of gas chromatography - methods and results]. *Vom Wasser* 51: 235-257. (as cited in WHO 1987)
- 72. Dobbs AJ, Williams N. 1983. Indoor air pollution from pesticides used in wood remedial treatments. *Environ Pollut* 6: 271-296.

- 73. Donnelly KC, Claxton LD, Huebner HJ, Capizzi JL. 1998. Mutagenic interactions of model chemical mixtures. *Chemosphere* 37(7): 1253-1261.
- 74. Dorsey WC, Tchounwou PB, Ishaque AB, Shen E. 2002. Transcriptional activation of stress genes and cytotoxicity in human liver carcinoma (HepG2) cells exposed to pentachlorophenol. *Int J Mol Sci* 3: 992-1007.
- 75. Dorsey WC, Tchounwou PB. 2004a. Pentachlorophenol-induced cytotoxic, mitogenic, and endocrine-disrupting activities in channel catfish, Ictalurus punctatus. *Int J Environ Res Public Health* 1(2): 90-99.
- Dorsey WC, Tchounwou PB, Sutton D. 2004a. Mitogenic and cytotoxic effects of pentachlorophenol to AML 12 mouse hepatocytes. *Int J Environ Res Public Health* 1(2): 100-105.
- 77. Dorsey WC, Tchounwou PB, Ford BD. 2006. Neuregulin 1-Beta cytoprotective role in AML 12 mouse hepatocytes exposed to pentachlorophenol. *Int J Environ Res Public Health* 3(1): 11-22.
- 78. Dougherty RC, Piotrowska K. 1976. Screening by negative chemical ionization mass spectrometry for environmental contamination with toxic residues: application to human urines. *Proc Natl Acad Sci* 73: 1777-1781. (as cited in WHO 1987)
- 79. Dubois M, Plaisance H, Thome JP, Kremers P. 1996. Hierarchical cluster analysis of environmental pollutants through P450 induction in cultured hepatic cells. *Ecotoxicol Environ Saf* 34(3): 205-215.
- 80. Dubois M, Grosse Y, Thomé JP, Kremers P, Pfohl-Leszkowicz A. 1997. Metabolic activation and DNA adducts detection as biomarkers of chlorinated pesticide exposures. *Biomarkers* 2: 17-24.
- 81. Duchak SA, Malanichev V, Shatalov V, Vulykh N. 2002. Application of EMEP transport models to assessment of long-range transport potential and overall persistence. OECD Environment, Health and Safety Publications Series on Testing and Assessment No. 36. Report of the OECD/UNEP Workshop on the Use of Multimedia Models for Estimating Overall Environmental Persistence and Long Range Transport in the Context of PBTS/POPS Assessment. ENV/JM/MONO(2002)15. (as cited in Borysiewicz 2008)
- Duggan RE, Corneliussen PE. 1972. Dietary intake of pesticide chemicals in the United States. 3. June 1968--April 1970. *Pestic Monit J* 5(4): 331-341. (as cited in WHO 1987)
- 83. Dunn KL. 2013. *Overview of Occupational Exposures to Pentachlorophenol*. National Institute for Occupational Safety and Health. 15 pp.

- 84. Edgerton TR, Moseman RF, Linder RE, Wright LH. 1979. Multi-residue method for the determination of chlorinated phenol metabolites in urine. *J Chromatogr* 170(2): 331-342.
- 85. Ehrlich W. 1990. The effect of pentachlorophenol and its metabolite tetrachlorohydroquinone on cell growth and the induction of DNA damage in Chinese hamster ovary cells. *Mutat Res* 244(4): 299-302.
- Eling TE, Thompson DC, Foureman GL, Curtis JF, Hughes MF. 1990. Prostaglandin H synthase and xenobiotic oxidation. *Annu Rev Pharmacol Toxicol* 30: 1-45.
- 87. Engst R, Macholz RM, Kujawa M, Lewerenz HJ, Plass R. 1976. The metabolism of lindance and its metabolites gamma-2,3,4,5,6-pentachlorocyclohexene, pentachlorobenzene, and pentachlorophenol in rats and the pathways of lindance metabolism. *J Environ Sci Health B* 11(2): 95-117.
- 88. Environment Canada. 1979. Monitoring Environmental Contamination From Chlorophenol Contaminated Wastes Generated In The Wood Preservation Industry. Regional Program Report No. 79-24, Prepared by Can Test Ltd and EVS Consultants Ltd, DSS File No. 075B, KE 114-8-1935. Ottawa, Canada: Environmental Protection Bureau, Environmental Protection Service, Pacific and Yukon Region. (as cited in WHO 1987)
- 89. Environment Canada. 1990. Detroit Incerinator Monitoring Program. Data Report #4. Windsor Air Sampling Site, September 1988-October 1989. WaljXlle Island Air Sampling Site, August 1988-October 1989. PMD 90-8. Conservation and Protection, Environment Canada. (as cited in Coad and Newhook 1992)
- 90. EPA. 1980c. *Exposure and Risk Assessment for Pentachlorophenol*. NTIS PB85-211944, EPA 440/4-81-021. Washington, D.C.: U.S. Environmental Protection Agency. (as cited in ATSDR 2001)
- 91. EPA. 1999. *Pentachlorophenol Integrated RED Science Documeny*. Washington, D.C.: U.S. Environmental Protection Agency. 198 pp.
- EPA. 2010. Toxicological Review of Pentachlorophenol (CAS No. 87-86-5) in Support of Summary Information on the Integrated Risk Information System (IRIS). EPA/635/R-09/004F. Washington, D.C.: U.S. Environmental Protection Agency. 288 pp.
- 93. EPA. 2013. *Inventory Update Reporting (IUR)*. U.S. Environmental Protection Agency. <u>http://www.epa.gov/iur/tools/data/index.html</u> and search by CAS no. Accessed on 3/6/13.
- 94. Eriksson M, Hardell L, Berg NO, Moller T, Axelson O. 1981. Soft-tissue sarcomas and exposure to chemical substances: a case-referent study. *Br J Ind Med* 38(1): 27-33. (Supported by the Swedish National Board of Occupational

Safety and Health. Authors affiliated with University Hospital - Umeå, Lund, and Linköping, Sweden.)

- 95. Eriksson M, Hardell L, Adami HO. 1990. Exposure to dioxins as a risk factor for soft tissue sarcoma: a population-based case-control study. *J Natl Cancer Inst* 82(6): 486-490. (Supported by the Swedish Work Environment Fund and the Swedish Cancer Society. Authors affiliated with university Hospital - Umeå and Uppsala, Sweden.)
- 96. Ernst W, Weber K. 1978. [The fate of pentachlorophenol in the Weser estuary and the German Bight]. *Veröff Inst Meeresforsch Bremerh* 17: 45-53. (as cited in WHO 1987)
- 97. Fahrig R. 1974. Comparative mutagenicity studes with pesticides. *IARC Sci Publ* 10: 161-181.
- Fahrig R, Nilsson C-A, Rappe C. 1978. Genetic activity of chlorophenols and chlorophenol impurities. In *Pentachlorophenol: Chemistry, Pharmacology and Environmental Toxicology*. Rao KR, ed. New York, NY: Plenum Press. p. 325-338.
- FDA. 2006. U.S. Food and Drug Administration Total Diet Study Market Baskets 1991-3 through 2003-4. College Park, MD: U.S. Food and Drug Administration. 127 pp.
- Feng L, Wu C, Tam L, Sutherland AJ, Clark JJ, Rosenfeld PE. 2011. Dioxin furan blood lipid and attic dust concentrations in populations living near four wood treatment facilities in the United States. *Journal of environmental health* 73(6): 34-46.
- 101. Fenske RA, Horstman SW, Bentley RK. 1987. Assessment of dermal exposure to chlorophenols in timber mills. *Appl Ind Hyg* 2(4): 143-147.
- 102. Filipovich AH, Spector BD, Kersey J. 1980. Immunodeficiency in humans as a risk factor in the development of malignancy. *Prev Med* 9(2): 252-259.
- 103. Fingerhut MA, Sweeney MH, Halperin WE, Schnorr TM. 1991a. The epidemiology of populations exposed to dioxin. *IARC Sci Publ*(108): 31-50.
- 104. Fingerhut MA, Halperin WE, Marlow DA, Piacitelli LA, Honchar PA, Sweeney MH, Greife AL, Dill PA, Steenland K, Suruda AJ. 1991b. Cancer mortality in workers exposed to 2,3,7,8-tetrachlorodibenzo-p-dioxin. *N Engl J Med* 324(4): 212-218.
- 105. Fischer A, Slemrova J. 1978. [The contamination of the river Rhine with chlorophenols.]. *Vom Wasser* 51: 33-46. (as cited in WHO 1987)

- Fountaine JE, Joshipura PB, Keliher PN. 1975. Some observations regarding pentachlorophenol levels in Haverford Township, Pennsylvania. *Water Res* 10: 185-188. (as cited in ATSDR 2001)
- 107. Fries GF, Paustenbach DJ, Mather DB, Luksemburg WJ. 1999. A congener specific evaluation of transfer of chlorinated dibenzo-p-dioxins and dibenzofurans to milk of cows following ingestion of pentachlorophenol-treated wood. *Environ Sci Technol* 33: 1165-1170.
- 108. Fries GF, Feil VJ, Zaylskie RG, Bialek KM, Rice CP. 2002a. Treated wood in livestock facilities: relationships among residues of pentachlorophenol, dioxins, and furans in wood and beef. *Environ Pollut* 116(2): 301-307.
- 109. Friesen MC, Davies HW, Teschke K, Ostry AS, Hertzman C, Demers PA. 2007. Impact of the specificity of the exposure metric on exposure-response relationships. *Epidemiology* 18(1): 88-94. (Supported by the Canadian Institutes of Health Research, Michael Smith Foundation for Health Research, BC Lung Association, and the U.S. National Institute for Occupational Safety and Health. Authors affiliated with University of British Columbia, Canada.)
- 110. Galloway SM, Armstrong MJ, Reuben C, Colman S, Brown B, Cannon C, Bloom AD, Nakamura F, Ahmed M, Duk S, *et al.* 1987. Chromosome aberrations and sister chromatid exchanges in Chinese hamster ovary cells: evaluations of 108 chemicals. *Environ Mol Mutagen* 10 Suppl 10: 1-175.
- 111. Garrett CL. 1980. Fraser River Estuary Study. Water Quality Series. Toxic Organic Contaminants. Ottawa, Canada: Environmental Protection Service, Pacific and Yukon Region, Environment Canada. 123 pp. (as cited in WHO 1987)
- 112. Gebefuegi I, Parlar H, Korte F. 1979. Occurrence of pentachlorophenol in closed environments. *Ecotoxicol Environ Saf* 3: 269. (as cited in WHO 1987)
- 113. Gebefuegi I. 1981. [Our present knowledge of the occurrence of pentachlorophenol in the environment]. In *Report on the 1980 Symposium of the Institute for Ecological Chemistry*. Münich, Germany: Society for Radiation and Environmental Research (GSF). pp. 25-33. (as cited in WHO 1987)
- Gebefuegi I, Oxynos K, Korte F. 1983. [Long-term behaviour of pentachlorophenol in closed rooms]. *Chemosphere* 12: 59-63. (as cited in WHO 1987)
- Gerhard I, Frick A, Monga B, Runnebaum B. 1999. Pentachlorophenol exposure in women with gynecological and endocrine dysfunction. *Environ Res* 80(4): 383-388.
- 116. Geyer HJ, Scheunert I, Korte F. 1987. Distribution and bioconcentration potential of the environmental chemical pentachlorophenol (PCP) in different tissues of humans. *Chemosphere* 16(4): 887-899.

- 117. Gomez-Catalan J, To-Figueras J, Planas J, Rodamilans M, Corbella J. 1987. Pentachlorophenol and hexachlorobenzene in serum and urine of the population of Barcelona. *Hum Toxicol* 6(5): 397-400.
- 118. Gomez-Catalan J, To-Figueras J, Rodamilans M, Corbella J. 1991. Transport of organochlorine residues in the rat and human blood. *Arch Environ Contam Toxicol* 20(1): 61-66.
- 119. Goodman G. 2001. Chapter 65: Pentachlorophenol. In *Handbook of Pesticide Toxicology*. vol 2. Krieger RI, ed. San Diego, CA: Academic Press.
- 120. Gopalaswamy UV, Nair CK. 1992. DNA binding and mutagenicity of lindane and its metabolites. *Bull Environ Contam Toxicol* 49(2): 300-305.
- 121. Gray RE, Gilliland RD, Smith EE, Lockard VG, Hume AS. 1985. Pentachlorophenol intoxication: report of a fatal case, with comments on the clinical course and pathologic anatomy. *Arch Environ Health* 40(3): 161-164.
- 122. Grimm H-G, Schellman B, Schaller K-H, et al. 1981. [Pentachlorophenol concentrations in tissues and bodyfluids of normal persons.]. Zentrabl Bakteriol Mikrobiol Hyg [B] 174: 77-90. (as cited in ATSDR 2001)
- 123. Gunderson EL. 1988. FDA Total Diet Study, April 1982-April 1984, dietary intakes of pesticides, selected elements, and other chemicals. *J Assoc Off Anal Chem* 71(6): 1200-1209. (as cited in ATSDR 2001)
- 124. Gunter BJ, Thoburn TW. 1980. *Health Hazard Evaluation Report. Flathead Post and Pole Yard, Dixon, Montana, December 1980.* HHE 80-207-786. National Institutes of Occupational Safety and Health. 9 pp.
- 125. Guvenius DM, Aronsson A, Ekman-Ordeberg G, Bergman A, Noren K. 2003. Human prenatal and postnatal exposure to polybrominated diphenyl ethers, polychlorinated biphenyls, polychlorobiphenylols, and pentachlorophenol. *Environ Health Perspect* 111(9): 1235-1241.
- 126. Guyton KZ, Kyle AD, Aubrecht J, Cogliano VJ, Eastmond DA, Jackson M, Keshava N, Sandy MS, Sonawane B, Zhang L, Waters MD, Smith MT. 2009. Improving prediction of chemical carcinogenicity by considering multiple mechanisms and applying toxicogenomic approaches. *Mutat Res* 681(2-3): 230-240.
- 127. Hardell L, Sandstrom A. 1979. Case-control study: soft-tissue sarcomas and exposure to phenoxyacetic acids or chlorophenols. *Br J Cancer* 39(6): 711-717. (Supported by the Swedish Work Environment Fund. Authors affiliated with University Hospital - Umeå, Sweden.)
- 128. Hardell L, Eriksson M, Lenner P, Lundgren E. 1981. Malignant lymphoma and exposure to chemicals, especially organic solvents, chlorophenols and phenoxy

acids: a case-control study. *Br J Cancer* 43(2): 169-176. (Supported by the Swedish Work Environment Fund. Authors affiliated with University Hospital, Sweden.)

- 129. Hardell L, Eriksson M. 1988. The association between soft tissue sarcomas and exposure to phenoxyacetic acids. A new case-referent study. *Cancer* 62(3): 652-656. (Supported by the Swedish Work Environment Fund. Authors affiliated with University Hospital - Umeå, Sweden.)
- Hardell L, Eriksson M, Degerman A. 1994. Exposure to phenoxyacetic acids, chlorophenols, or organic solvents in relation to histopathology, stage, and anatomical localization of non-Hodgkin's lymphoma. *Cancer Res* 54(9): 2386-2389. (Support not reported. Authors affiliated with Örebro Medical Center, Sweden; University Hospital, Sweden.)
- 131. Hardell L, Eriksson M, Degerman A. 1995. Meta-analysis of four Swedish casecontrol studies on exposure to pesticides as risk-factor for soft-tissue sarcoma including the relation to tumor-localization and histopathological type. *Int J Oncol* 6(4): 847-851. (Supported by the Swedish Work Environment Fund and the Swedish Medical Research Council. Authors affiliated with Örebro Medical Center, Sweden; University Hospital, Sweden.)
- 132. Hardell L, Axelson O. 1998. Environmental and occupational aspects on the etiology of non-Hodgkin's lymphoma. *Oncol Res* 10(1): 1-5.
- Hardell L, Lindstrom G, van Bavel B, Fredrikson M, Liljegren G. 1998. Some aspects of the etiology of non-Hodgkin's lymphoma. *Environ Health Perspect* 106 Suppl 2: 679-681.
- 134. Hardell L, Eriksson M. 1999. A case-control study of non-Hodgkin lymphoma and exposure to pesticides. *Cancer* 85(6): 1353-1360. (Supported by the Swedish Work Environment Fund, the Swedish Medical Research Council, Örebro County Council Research Committee, and Örebro Medical Center Research Foundation. Authors affiliated with Örebro Medical Center, Sweden; University Hospital -Lund, Sweden.)
- 135. Hardell L, Eriksson M, Nordstrom M. 2002. Exposure to pesticides as risk factor for non-Hodgkin's lymphoma and hairy cell leukemia: pooled analysis of two Swedish case-control studies. *Leuk Lymphoma* 43(5): 1043-1049.
- 136. Hardell L. 2008. Pesticides, soft-tissue sarcoma and non-Hodgkin lymphoma-historical aspects on the precautionary principle in cancer prevention. *Acta Oncol* 47(3): 347-354.
- 137. Hattemer-Frey HA, Travis CC. 1989. Pentachlorophenol: environmental partitioning and human exposure. *Arch Environ Contam Toxicol* 18(4): 482-489.

- 138. Hattula ML, Knuutinen J. 1985. Mutagenesis of mammalian cells in culture by chlorophenols, chlorocatechols and chloroguaiacols. *Chemosphere* 14: 1617-1625.
- 139. Haworth S, Lawlor T, Mortelmans K, Speck W, Zeiger E. 1983. Salmonella mutagenicity test results for 250 chemicals. *Environ Mutagen* 5 Suppl 1: 1-142.
- 140. Heacock H, Hertzman C, Demers PA, Gallagher R, Hogg RS, Teschke K, Hershler R, Bajdik CD, Dimich-Ward H, Marion SA, Ostry A, Kelly S. 2000. Childhood cancer in the offspring of male sawmill workers occupationally exposed to chlorophenate fungicides. *Environ Health Perspect* 108(6): 499-503.
- Helleday T, Tuominen KL, Bergman A, Jenssen D. 1999. Brominated flame retardants induce intragenic recombination in mammalian cells. *Mutat Res* 439(2): 137-147.
- Hensley AR, Scott A, Rosenfeld PE, Clark JJ. 2007. Attic dust and human blood samples collected near a former wood treatment facility. *Environ Res* 105(2): 194-199.
- 143. Hertzman C, Teschke K, Dimich-Ward H, Ostry A. 1988. Validity and reliability of a method for retrospective evaluation of chlorophenate exposure in the lumber industry. *Am J Ind Med* 14(6): 703-713.
- 144. Hertzman C, Teschke K, Ostry A, Hershler R, Dimich-Ward H, Kelly S, Spinelli JJ, Gallagher RP, McBride M, Marion SA. 1997. Mortality and cancer incidence among sawmill workers exposed to chlorophenate wood preservatives. *Am J Public Health* 87(1): 71-79. (Supported by NHRDP. Authors affiliated with University of British Columbia, Canada; British Columbia Cancer Agency, Canada.)
- 145. Hill AB. 1965. The environment and disease: association or causation? *Proc R Soc Med* 58: 295-300. (Support not reported. Author affiliated with University of London, UK.)
- 146. Hill RH, Jr., To T, Holler JS, Fast DM, Smith SJ, Needham LL, Binder S. 1989. Residues of chlorinated phenols and phenoxy acid herbicides in the urine of Arkansas children. Arch Environ Contam Toxicol 18(4): 469-474.
- 147. Hill RH, Jr., Head SL, Baker S, Gregg M, Shealy DB, Bailey SL, Williams CC, Sampson EJ, Needham LL. 1995. Pesticide residues in urine of adults living in the United States: reference range concentrations. *Environ Res* 71(2): 99-108.
- 148. Hoben HJ, Ching SA, Casarett LJ. 1976b. A study of inhalation of pentachlorophenol by rats. IV. Distribution and excretion of inhaled pentachlorophenol. *Bull Environ Contam Toxicol* 15(4): 466-474.

- 149. Hogberg HT, Kinsner-Ovaskainen A, Hartung T, Coecke S, Bal-Price AK. 2009. Gene expression as a sensitive endpoint to evaluate cell differentiation and maturation of the developing central nervous system in primary cultures of rat cerebellar granule cells (CGCs) exposed to pesticides. *Toxicol Appl Pharmacol* 235(3): 268-286.
- 150. Holsapple MP, McNerney PJ, McCay JA. 1987. Effects of pentachlorophenol on the in vitro and in vivo antibody response. *J Toxicol Environ Health* 20(3): 229-239.
- 151. Horstman SW, Rossner A, Kalman DA, Morgan MS. 1989. Penetration of PCP and TCP through human skin. *J Environ Sci Health* A24: 229-242.
- Hosenfeld JM. 1986. Pentachlorophenol in Log Homes: A Study of Environmental and Clinical Aspects. EPA-560/5-87-001A. Washington, D.C.: U.S. Environmental Protection Agency. 30 pp.
- 153. Huwe JK, Davison K, Feil VJ, Larsen G, Lorentzsen M, Zaylskie R, Tiernan TO. 2004. Levels of polychlorinated dibenzo-p-dioxins and dibenzofurans in cattle raised at agricultural research facilities across the USA and the influence of pentachlorophenol-treated wood. *Food Addit Contam* 21(2): 182-194.
- 154. IARC. 1991. Occupational Exposures in Insecticide Application and Some Pesticides, IARC Monographs on the Evaluation of Carcinogenic Risks to Humans. vol. 53, Lyon, France: International Agency for Research on Cancer. pp. 374-377.
- 155. IARC. 1999. Polychloropenols and their Sodium Salts. In *Re-evaluation of Some Organic Chemicals, Hydrazine and Hydrogen Peroxide*. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans, vol. 71. Lyon, France: International Agency for Research on Cancer. pp. 769-816.
- 156. Innes JR, Ulland BM, Valerio MG, Petrucelli L, Fishbein L, Hart ER, Pallotta AJ, Bates RR, Falk HL, Gart JJ, Klein M, Mitchell I, Peters J. 1969. Bioassay of pesticides and industrial chemicals for tumorigenicity in mice: a preliminary note. *J Natl Cancer Inst* 42(6): 1101-1114. (Supported by the National Institutes of Health. Authors affiliated with Bionetics Research Laboratories, Inc., MD; National Cancer Institute, MD; University of Pittsburgh, PA; NIEHS, NC.)
- 157. Ishidate MJ. 1988. *Data Book of Chromosomal Aberration Test In Vitro*, Amsterdam: Elsevier. p. 312-313.
- 158. Jakobson I, Yllner S. 1971. Metabolism of 14 C-pentachlorophenol in the mouse. *Acta Pharmacol Toxicol (Copenh)* 29(5): 513-524.
- 159. Jansson K, Jansson V. 1986. Inability of chlorophenols to induce 6-thioguanineresistant mutants in V79 Chinese hamster cells. *Mutat Res* 171(2-3): 165-168.

- Jansson K, Jansson V. 1991. Induction of mutation in V79 Chinese hamster cells by tetrachlorohydroquinone, a metabolite of pentachlorophenol. *Mutat Res* 260(1): 83-87.
- Jansson K, Jansson V. 1992a. Induction of micronuclei in V79 Chinese hamster cells by tetrachlorohydroquinone, a metabolite of pentachlorophenol. *Mutat Res* 279(3): 205-208.
- Johnson RD, Manske DD. 1977. Pesticides in food and feed. Pesticide and other chemical residues in total diet samples (XI). *Pestic Monit J* 11: 116-131. (as cited in WHO 1987)
- 163. Jones PA. 1981. Chlorophenols and their impurities in the Canadian environment. Economic and Technical Review Report, EPS 3-EC-81-2. Environmental Protection Service, Environment Canada.
- 164. Jones RD, Winter DP, Cooper AJ. 1986. Absorption study of pentachlorophenol in persons working with wood preservatives. *Hum Toxicol* 5(3): 189-194.
- 165. Juhl U, Witte I, Butte W. 1985. Metabolism of pentachlorophenol to tetrachlorohydroquinone by human liver homogenate. *Bull Environ Contam Toxicol* 35(5): 596-601.
- Kalman DA, Horstman SW. 1983. Persistence of tetrachlorophenol and pentachlorophenol in exposed woodworkers. *J Toxicol Clin Toxicol* 20(4): 343-352.
- 167. Kalman DA. 1984. Determination of pentachlorophenol and 2,3,4,6tetrachlorophenol in human urine by high resolution gas chromatography. J Chromatogr Sci 22(10): 452-455.
- 168. Karouna-Renier NK, Rao KR, Lanza JJ, Davis DA, Wilson PA. 2007. Serum profiles of PCDDs and PCDFs, in individuals near the Escambia Wood Treating Company Superfund site in Pensacola, FL. *Chemosphere* 69(8): 1312-1319.
- 169. Kauppinen T, Lindroos L. 1985. Chlorophenol exposure in sawmills. Am Ind Hyg Assoc J 46(1): 34-38. (Support not reported. Authors affiliated with Institute for Occupational Health, Finland; Regional Institute of Occupational Health, Finland.)
- 170. Kazunga C, Aitken MD, Gold A. 1999. Primary product of the horseradish peroxidase-catalyzed oxidation of pentachlorophenol. *Environ Sci Technol* 33: 1408-1412.
- 171. Kerkvliet NI, Baecher-Steppan L, Schmitz JA. 1982a. Immunotoxicity of pentachlorophenol (PCP): increased susceptibility to tumor growth in adult mice fed technical PCP-contaminated diets. *Toxicol Appl Pharmacol* 62(1): 55-64.

(Supported by the U.S. EPA. Authors affiliated with Oregon State University, OR.)

- 172. Kerkvliet NI, Baecher-Steppan L, Claycomb AT, Craig AM, Sheggeby GG. 1982b. Immunotoxicity of technical pentachlorophenol (PCP-T): depressed humoral immune responses to T-dependent and T-independent antigen stimulation in PCP-T exposed mice. *Fundam Appl Toxicol* 2(2): 90-99.
- 173. Kerkvliet NI, Brauner JA, Baecher-Steppan L. 1985a. Effects of dietary technical pentachlorophenol exposure on T cell, macrophage and natural killer cell activity in C57Bl/6 mice. *Int J Immunopharmacol* 7(2): 239-247.
- 174. Kerkvliet NI, Brauner JA, Matlock JP. 1985b. Humoral immunotoxicity of polychlorinated diphenyl ethers, phenoxyphenols, dioxins and furans present as contaminants of technical grade pentachlorophenol. *Toxicology* 36(4): 307-324.
- 175. Kerkvliet NI, Brauner JA. 1987. Mechanisms of 1,2,3,4,6,7,8-heptachlorodibenzo-p-dioxin (HpCDD)-induced humoral immune suppression: evidence of primary defect in T-cell regulation. *Toxicol Appl Pharmacol* 87(1): 18-31.
- 176. Kimbrough RD, Linder RE. 1978. The effect of technical and purified pentachlorophenol on the rat liver. *Toxicol Appl Pharmacol* 46(1): 151-162. (Support not reported. Authors affiliated with Center for Disease Control, GA; U.S. EPA, NC.)
- 177. Klemmer HW, Wong L, Sato MM, Reichert EL, Korsak RJ, Rashad MN. 1980. Clinical findings in workers exposed to pentachlorophenol. *Arch Environ Contam Toxicol* 9(6): 715-725.
- 178. KMG. 2011. Annual Report Pursuant to Section 13 or 15(d) of the Securities Exchange Act of 1934 for the Fiscal Year Ended July 31, 2011. KMG Chemicals, Inc. Washington, D.C.: United Securities and Exchange Commission. 63 pp.
- 179. Kociba RJ, Keyes DG, Beyer JE, Carreon RM, Wade CE, Dittenber DA, Kalnins RP, Frauson LE, Park CN, Barnard SD, Hummel RA, Humiston CG. 1978. Results of a two-year chronic toxicity and oncogenicity study of 2,3,7,8-tetrachlorodibenzo-p-dioxin in rats. *Toxicol Appl Pharmacol* 46(2): 279-303.
- 180. Kogevinas M, Saracci R, Bertazzi PA, Bueno-de-Mesquita HB, Coggon D, Green LM, Kauppinen T, Littorin M, Lynge E, Mathews JD, Neuberger M, Osman J, Pearce N, Winkelmann R. 1992. Cancer mortality from soft tissue sarcoma and malignant lymphomas in an international cohort of workers exposed to chlorophenoxy herbicides and chlorophenols. *Chemosphere* 25(7-10): 1071-1076. (Supported by NIEHS. Authors affiliated with IARC, France; University of Milan, Italy; National Institute of Public Health and Environmental Protection, Netherlands; University of Southampton, UK; Ontario Hydro, Canada; Institute of Occupational Health, Finland; Lund University, Sweden; Danish Cancer Registry,

Denmark; Menzies School of Health Research, Australia; Institute of Environmental Hygiene, Austria; Health and Safety Executive, UK; Wellington School of Medicine, New Zealand.)

- 181. Kogevinas M, Kauppinen T, Winkelmann R, Becher H, Bertazzi PA, Bueno-de-Mesquita HB, Coggon D, Green L, Johnson E, Littorin M, Lynge E, Marlow DA, Mathews JD, Neuberger M, Benn T, Pannet B, Pearce N, Saracci R. 1995. Soft tissue sarcoma and non-Hodgkin's lymphoma in workers exposed to phenoxy herbicides, chlorophenols, and dioxins: two nested case-control studies. *Epidemiology* 6(4): 396-402. (Supported by NIEHS. Authors affiliated with IARC, France; Institut Municipal d'Investigació Mèdica, Spain; Institute of Occupational Health, Finland; German Cancer Research Center, Germany; Clinica del Lavoro Luigi Devoto, Italy; National Institute of Public Health and Environmental Protection, Netherlands; University of Southampton, UK; Ontario Hydro, Canada; Tulane University Medical Center, LA; Lund University, Sweden; Danish Cancer Registry, Denmark; NIOSH, OH; Menzies School of Health Research, Australia; University of Vienna, Austria; Health and Safety Executive, UK; Wellington School of Medicine, Ne Zealand.)
- Krause C, Englert N. 1980. [Health evaluation of PCP (pentachlorophenol) containing wood preservatives in rooms]. *Holz Roh Werkst* 38: 429-432. (as cited in WHO 1987)
- 183. Krause C. 1982. [Active ingredients of wood preservatives used in homes]. In Air Quality in Interiors. Aurand K, Seifert B, Wegner J, eds. Stuttgart, New York: Gustav-Fischer-Verlag. pp. 309-316. (as cited in WHO 1987)
- 184. Krause C, Chutsch M, Englert N. 1989. Pentachlorophenol exposure through indoor use of wood preservatives in the Federal Republic of Germany. *Environ Int* 15: 443-447.
- 185. Kutz FW, Cook BT, Carter-Pokras OD, Brody D, Murphy RS. 1992. Selected pesticide residues and metabolites in urine from a survey of the U.S. general population. *J Toxicol Environ Health* 37(2): 277-291.
- Lang D, Mueller-Ruchholtz W. 1991. Human lymphocyte reactivity after in vitro exposure to technical and analytical grade pentachlorophenol. *Toxicology* 70(3): 271-282.
- 187. Larsen RV, Kirsch LE, Shaw SM, Christian JE, Born GS. 1972. Excretion and tissue distribution of uniformly labeled 14 C-pentachlorophenol in rats. *J Pharm Sci* 61(12): 2004-2006.
- 188. Lee SA, Lucas C. 1983. Health Hazard Evaluation Report. Fort Stanwix National Monument, Rome, New York. HETA 83-090-1326. Cincinnati, OH: National Institute for Occupational Safety and Health. 14 pp.

- Lee SA, Gunter BJ. 1986. Health Hazard Evaluation Report. Montana Log Home Residents, Kalispell, Montana. HETA 84-043, HETA 84-425-1680. Cincinnati, OH: National Institute for Occupational Safety and Health. 18 pp.
- 190. Lewis RG, Fortmann RC, Camann DE. 1994. Evaluation of methods for monitoring the potential exposure of small children to pesticides in the residential environment. *Arch Environ Contam Toxicol* 26(1): 37-46.
- Liebl B, Mayer R, Kashube M, Wächter H. 1996. [Pentachlorphenol Ergebnisse aus einem bayerischen Human-monitoring-Programm]. *Gesundheitswesen* 58: 332-338. (as cited in Schnelle-Kreis *et al* 2000)
- 192. Lilienblum W. 1985. Formation of pentachlorophenol glucuronide in rat and human liver microsomes. *Biochem Pharmacol* 34(6): 893-894. (Support not reported. Author affiliated with University of Göttingen, Germany.)
- Lin P-H, Waidyanatha S, Rappaport SM. 1996. Investigation of liver binding of pentachlorophenol based upon measurement of protein adducts. *Biomarkers* 1: 232-243.
- 194. Lin PH, Waidyanatha S, Pollack GM, Rappaport SM. 1997. Dosimetry of chlorinated quinone metabolites of pentachlorophenol in the livers of rats and mice based upon measurement of protein adducts. *Toxicol Appl Pharmacol* 145(2): 399-408.
- 195. Lin PH, Waidyanatha S, Pollack GM, Swenberg JA, Rappaport SM. 1999. Dosespecific production of chlorinated quinone and semiquinone adducts in rodent livers following administration of pentachlorophenol. *Toxicol Sci* 47(1): 126-133.
- 196. Lin PH, Nakamura J, Yamaguchi S, La DK, Upton PB, Swenberg JA. 2001a. Induction of direct adducts, apurinic/apyrimidinic sites and oxidized bases in nuclear DNA of human HeLa S3 tumor cells by tetrachlorohydroquinone. *Carcinogenesis* 22(4): 635-639.
- 197. Lin PH, Nakamura J, Yamaguchi S, Upton PB, La DK, Swenberg JA. 2001b. Oxidative damage and direct adducts in calf thymus DNA induced by the pentachlorophenol metabolites, tetrachlorohydroquinone and tetrachloro-1,4benzoquinone. *Carcinogenesis* 22(4): 627-634.
- 198. Lin PH, La DK, Upton PB, Swenberg JA. 2002. Analysis of DNA adducts in rats exposed to pentachlorophenol. *Carcinogenesis* 23(2): 365-369. (Supported by NIEHS and NCI. Authors affiliated with University of North Carolina, NC; National Chung-Hsing University, Taiwan; Alza Corporation, CA.)
- 199. Lin YP, Zhu BZ, Yang MC, Frei B, Pan MH, Lin JK, Wang YJ. 2004. Bcl-2 overexpression inhibits tetrachlorohydroquinone-induced apoptosis in NIH3T3 cells: a possible mechanism for tumor promotion. *Mol Carcinog* 40(1): 24-33.

- 200. Littorin M, Hansson M, Rappe C, Kogevinas M. 1994. Dioxins in blood from Swedish phenoxy herbicide workers. *Lancet* 344(8922): 611-612.
- 201. Lores EM, Edgerton TR, Moseman RF. 1981. Method for the confirmation of chlorophenols in human urine by LC with an electrochemical detector. *J Chromatogr Sci* 19(9): 466-469.
- 202. Lower GM, Jr., Bryan GT. 1973. Enzymatic *N*-acetylation of carcinogenic aromatic amines by liver cytosol of species displaying different organ susceptibilities. *Biochem Pharmacol* 22(13): 1581-1588. (Supported by NCI. Authors affiliated with University of Wisconsin Medical School, WI.)
- MAFF. 1989. Report of the Working Party on Pesticide Residues: 1985-88. Food Surveillance Paper No 25. Ministry of Agriculture, Fisheries and Food. (as cited in Wild and Jones 1992)
- Manske DD, Johnson RD. 1977. Residues in food and feed. Pesticide and other chemical residues in total diet samples. X. *Pest Monit J* 10: 134-148. (as cited in WHO 1987)
- 205. Markel HL, Lucas JB. 1975. Health Hazard Evaluation Determination. Weyerhaeuser Treating Plant, De Queen, Arkansas. Report No. 74-117-251. Cincinnati, OH: National Institute for Occupational Safety and Health. 19 pp.
- Markel HL, Ligo RN, Lucas JB. 1977. *Health Hazard Evaluation Determination. Koppers Company, Incorporated, North Little Rock, Arkansas.* Report No. 75-117-372. Cincinnati, OH: National Institute for Occupational Safety and Health. 18 pp.
- 207. Markiewicz KV, Howie LE, Safe SH, Donnelly KC. 1996. Mutagenic potential of binary and complex mixtures using different enzyme induction systems. *J Toxicol Environ Health* 47: 443-451.
- 208. Marlow D, Fingerhut M. 1985a. Dioxin Registry Report: Walk-through Survey of Pentachlorophenol Production Facility at Vulcan Materials Company, Wichita, Kansas. Report No. 117.19. Cincinnati, OH: National Institute for Occupational Safety and Health. 78 pp.
- Marlow DA, Fingerhut M. 1985b. Site Visit Report, Reichold Chemicals Inc., Tacoma, Washington. Report No. IWS-117-17. Cincinnati, OH: National Institutes of Occupational Safety and Health. 42 pp.
- 210. Marlow DA. 1986. An exposure matrix for the NIOSH Dioxin Registry. *Chemosphere* 15(9-12): 1753-1764.
- 211. Marlow DA, Fingerhut M, Blade LM, Piacitelli L, Roberts D. 1991. *Dioxin Registry Report of The Dow Chemical Company, Midland, Michigan*. Report No.

117.15. Cincinnati, OH: National Institute for Occupational Safety and Health. 260 pp.

- Marlow DA, Fingerhut MA, Piacitelli LA. 1997. *Dioxin Registry Report of Monsanto Company, Sauget, Illinois*. Report No. 117-23. Cincinnati, OH: National Institute of Occupational Safety and Health. 107 pp.
- 213. Matsumoto G, Ishiwatari R, Hanya T. 1977. Gas chromatographic-mass spectrometric identification of phenols and aromatic acids in river waters. *Water Res* 11: 693-698. (as cited in WHO 1987)
- 214. Matsumoto G. 1982. Comparative study on organic constituents in polluted and unpolluted inland aquatic environments. III. Phenols and aromatic acids in polluted and unpolluted waters. *Water Res* 16: 551-557. (as cited in WHO 1987)
- 215. McConnachie PR, Zahalsky AC. 1991. Immunological consequences of exposure to pentachlorophenol. *Arch Environ Health* 46(4): 249-253.
- 216. McConnell EE, Huff JE, Hejtmancik M, Peters AC, Persing R. 1991. Toxicology and carcinogenesis studies of two grades of pentachlorophenol in B6C3F1 mice. *Fundam Appl Toxicol* 17(3): 519-532. (Support not reported. Authors affiliated with NIEHS, NC; Battelle Columbus Laboratories, OH.)
- 217. McLean D, Eng A, 't Mannetje A, Walls C, Dryson E, Cheng S, Wong K, Pearce N. 2007. *Health Outcomes in Former New Zealand Timber Workers Exposed to Pentachlorophenol (PCP)*. Wellington, New Zealand: Massey University. 66 pp. (Supported by the Health Research Council of New Zealand (HRC) Partnership Programme under a Joint Research Portfolio between the Department of Labour and the HRC. Authors affiliated with Massey University, New Zealand; Occupational Medicine Specialists, New Zealand.)
- 218. McLean D, Eng A, Walls C, Dryson E, Harawira J, Cheng S, Wong KC, Mannetje A, Gray M, Shoemack P, Smith A, Pearce N. 2009a. Serum dioxin levels in former New Zealand sawmill workers twenty years after exposure to pentachlorophenol (PCP) ceased. *Chemosphere* 74(7): 962-967. (Supported by the Health Research Council of New Zealand Partnership Programme under a Joint Research Portfolio between the Department of Labour and the HRC. Authors affiliated with Massey University Wellington Campus, New Zealand; Occupational Medicine Specialists, New Zealand; Ngatiawa Social and Health Services, New Zealand; Bay of Plenty District Health Board, New Zealand; University of California - Berkeley, CA.)
- 219. McLean D, Eng A, Dryson E, Walls C, Harding E, Wong KC, Cheng S, Mannetje A, Ellison-Loschmann L, Slater T, Shoemack P, Pearce N. 2009b. Morbidity in former sawmill workers exposed to pentachlorophenol (PCP): a cross-sectional study in New Zealand. *Am J Ind Med* 52(4): 271-281. (Supported by the Health Research Council of NewZealand. Authors affiliated with Massey University,

New Zealand; Occupational Medicine Specialists, New Zealand; Bay of Plenty District Health Board, New Zealand.)

- Meemken H-A, Fuerst P, Habersaat K. 1982. [Analysis of pentachlorophenol in cultured champignons]. *Dtsch Lebensm Rundsch* 78: 282-287. (as cited in WHO 1987)
- 221. Meerman JH, Sterenborg HM, Mulder GJ. 1983. Use of pentachlorophenol as long-term inhibitor of sulfation of phenols and hydroxamic acids in the rat in vivo. *Biochem Pharmacol* 32(10): 1587-1593.
- 222. Mehmood Z, Williamson MP, Kelly DE, Kelly SL. 1996. Metabolism of organochlorine pesticides: the role of human cytochrome P450 3A4. *Chemosphere* 33(4): 759-769.
- 223. Michalowicz J, Sicinska P. 2009. Chlorophenols and chlorocatechols induce apoptosis in human lymphocytes (in vitro). *Toxicol Lett* 191(2-3): 246-252.
- 224. Michalowicz J, Majsterek I. 2010. Chlorophenols, chlorocatechols and chloroguaiacols induce DNA base oxidation in human lymphocytes (in vitro). *Toxicology* 268(3): 171-175.
- 225. Michalowicz J. 2010b. Pentachlorophenol and its derivatives induce oxidative damage and morphological changes in human lymphocytes (in vitro). *Arch Toxicol* 84(5): 379-387.
- 226. Mirvish SS, Nickols J, Weisenburger DD, Johnson D, Joshi SS, Kaplan P, Gross M, Tong HY. 1991. Effects of 2,4,5-trichlorophenoxyacetic acid, pentachlorophenol, methylprednisolone, and Freund's adjuvant on 2-hydroxyethylnitrosourea carcinogenesis in MRC-Wistar rats. *J Toxicol Environ Health* 32(1): 59-74. (Supported by the Nebraska Health Department, the National Cancer Institute and the American Cancer Society. Authors affiliated with University of Nebraska Medical Center, NE; University of Nebraska Lincoln, NE.)
- 227. MMWR. 1980. Pentachlorophenol in Log Homes Kentucky. *MMWR* 29(36): 431-437.
- 228. Monteith DK. 1992. Inhibition of sulfotransferase affecting unscheduled DNA synthesis induced by 2-acetylaminofluorene: an in vivo and in vitro comparison. *Mutat Res* 282(4): 253-258. (Support not reported. Author affiliated with Warner-Lambert Company, MI.)
- 229. Moorthy B, Randerath K. 1996. Pentachlorophenol enhances 9-hydroxybenzo [a] pyrene-induced hepatic DNA adduct formation in vivo and inhibits microsomal epoxide hydrolase and glutathione S-transferase activities in vitro: likely inhibition of epoxide detoxication by pentachlorophenol. *Arch Toxicol* 70(11): 696-703.

- Morgade C, Barquet A, Pfaffenberger CD. 1980. Determination of polyhalogenated phenolic compounds in drinking-water, human blood-serum, and adipose tissue. *Bull Environ Contam Toxicol* 24: 257-264. (as cited in WHO 1987)
- 231. Mulder GJ, Scholtens E. 1977. Phenol sulphotransferase and uridine diphosphate glucuronyltransferase from rat liver in vivo and vitro. 2,6-Dichloro-4-nitrophenol as selective inhibitor of sulphation. *Biochem J* 165(3): 553-559.
- 232. Murata-Kamiya N, Tsutsui T, Fujino A, Kasai H, Kaji H. 1997. Determination of carcinogenic potential of mineral fibers by 8-hydroxydeoxyguanosine as a marker of oxidative DNA damage in mammalian cells. *Int Arch Occup Environ Health* 70(5): 321-326.
- Murray HE, Ray LE, Giam CS. 1981. Analysis of marine sediment, water, and biota for selected organic pollutants. *Chemosphere* 10: 1327-1334. (as cited in WHO 1987)
- 234. Naito S, Ono Y, Somiya I, Inoue S, Ito K, Yamamoto K, Kawanishi S. 1994. Role of active oxygen species in DNA damage by pentachlorophenol metabolites. *Mutat Res* 310(1): 79-88.
- NCI. 1979. Bioassay of a 4,4,6-Trichlorophenol for Possible Carcinogenicity (CAS No. 88-06-2). Technical Report Series No. 155. NIH Publication No. 80-1758. Bethesda, MD: National Institutes of Health. 128 pp.
- Nishimura N, Nishimura H, Oshima H. 1982b. Survey on mutagenicity of pesticides by the Salmonella-microsome test. *J Aichi Med Univ Assoc* 10(4): 305-312.
- 237. Nishimura N, Oshima H. 1983. [Mutagenicity of pentachlorophenol, dinitro-*o*-cresol and their related compounds]. *Sangyo Igaku* 25(6): 510-511. (Support unknown due to foreign language. Authors affiliated with Aichi Medical University, Japan.)
- 238. Nordstrom M, Hardell L, Magnuson A, Hagberg H, Rask-Andersen A. 1998. Occupational exposures, animal exposure and smoking as risk factors for hairy cell leukaemia evaluated in a case-control study. *Br J Cancer* 77(11): 2048-2052.
- 239. Noren K, Sjovall J. 1987. Analysis of pentachlorophenol in water and urine by enrichment with Lipidex 5000. *J Chromatogr* 414(1): 55-63.
- NTP. 1980c. Bioassay of a Mixture of 1,2,3,6,7,8-Hexachlorodibenzo-p-Dioxin and 1,2,3,7,8,9-Hexachlorodibenzo-p-Dioxin (Gavage Study) for Possible Carcinogenicity Technical Report Series No. 198. NIH Publication No. 80-1754. Research Triangle Park, NC: National Toxicology Program. 187 pp.

- NTP. 1982. Bioassay of 2,3,7,8-Tetrachlorodibenzo-p-dioxin (CAS No. 1746-01-6) in Osborne-Mendel Rats and B6C3F₁ Mice. Technical Report Series No. 209. NIH Publication No. 80-1759. Research Triangle Park, NC: National Toxicology Program. 211 pp.
- NTP. 1989. Toxicology and Carcinogenesis Studies of Two Pentachlorophenol Technical-Grade Mixtures(CAS No. 87-86-5) Administered in B6C3F1 Mice (Feed Studies). Technical Report Series No. 349. NIH Publication No. 89-2804. Research Triangle Park, NC: National Toxicology Program. 267 pp.
- NTP. 1999. Toxicology and Carcinogenesis Studies of Pentachlorophenol (CAS No. 87-86-5) in F344/N Rats (Feed Studies). Technical Report Series No. 483. NIH Publication No. 99-3973. Research Triangle Park, NC: National Toxicology Program. 184 pp.
- 244. NTP. 2011. *12th Report on Carcinogens*, Research Triangle Park, NC: National Toxicology Program. <u>http://ntp.niehs.nih.gov/go/roc12</u>.
- 245. Ott MG, Olson RA, Cook RR, Bond GG. 1987. Cohort mortality study of chemical workers with potential exposure to the higher chlorinated dioxins. J Occup Med 29(5): 422-429. (Support not reported. Authors affiliated with The Dow Chemical Company, MI; Union Carbide Corporation, CT.)
- 246. Ozaki A, Yamaguchi Y, Fujita T, Kuroda K, Endo G. 2004. Chemical analysis and genotoxicological safety assessment of paper and paperboard used for food packaging. *Food Chem Toxicol* 42(8): 1323-1337.
- Päpke O, Ball M, Lis A. 1992. Various PCDD/PCDF patterns in human blood resulting from different occupational exposures. *Chemosphere* 25(7-10): 1101-1108. (Support not reported. Authors affiliated with ERGO Forschungsgesellschaft, Germany.)
- 248. Park JS, Bergman A, Linderholm L, Athanasiadou M, Kocan A, Petrik J, Drobna B, Trnovec T, Charles MJ, Hertz-Picciotto I. 2008. Placental transfer of polychlorinated biphenyls, their hydroxylated metabolites and pentachlorophenol in pregnant women from eastern Slovakia. *Chemosphere* 70(9): 1676-1684.
- 249. Pavlica M, Vasilevska J, Papes D. 1998. Genotoxicity pf pentachlorophenol revealed by allium chromosome aberration assay. *Acta Biologica Cracoviensia* 40: 85-90.
- 250. Pavlica M, Klobucar GI, Vetma N, Erben R, Papes D. 2000. Detection of micronuclei in haemocytes of zebra mussel and great ramshorn snail exposed to pentachlorophenol. *Mutat Res* 465(1-2): 145-150.
- 251. Pavlica M, Klobucar GI, Mojas N, Erben R, Papes D. 2001. Detection of DNA damage in haemocytes of zebra mussel using comet assay. *Mutat Res* 490(2): 209-214.

- 252. Pearce NE, Smith AH, Fisher DO. 1985. Malignant lymphoma and multiple myeloma linked with agricultural occupations in a New Zealand Cancer Registrybased study. *Am J Epidemiol* 121(2): 225-237. (Supported by the Medical Research Council of New Zealand and the New Zealand War Pensions Medical Research Trust. Authors affiliated with Wellington Clinical School of Medicine, New Zealand; University of California - Berkeley, CA.)
- 253. Pearce NE, Smith AH, Howard JK, Sheppard RA, Giles HJ, Teague CA. 1986a. Case-control study of multiple myeloma and farming. *Br J Cancer* 54(3): 493-500. (Supported by the Medical Research Council of New Zealand, the War Pensions Medical Research Trust Board, and the Northern California Occupational Health Centre. Authors affiliated with Wellington Clinical School of Medicine, New Zealand; University of North Carolina, NC; University of California - Berkeley, CA; Princess Alexandra Hospital, Australia.)
- 254. Pearce NE, Smith AH, Howard JK, Sheppard RA, Giles HJ, Teague CA. 1986b. Non-Hodgkin's lymphoma and exposure to phenoxyherbicides, chlorophenols, fencing work, and meat works employment: a case-control study. *Br J Ind Med* 43(2): 75-83. (Supported by the New Zealand Health Department, the War Pensions Medical Research Trust Board, the Medical Research Council, and the Northern California Occupational Health Center. Authors affiliated with Wellington Clinical School of Medicine, New Zealand; University of North Carolina, NC; University of California - Berkeley, CA.)
- 255. Pearce NE, Sheppard RA, Smith AH, Teague CA. 1987. Non-Hodgkin's lymphoma and farming: an expanded case-control study. *Int J Cancer* 39(2): 155-161. (Supported by an Overseas Research Fellowship of the Medical Research Council of New Zealand, the War Pensions Medical Research Trust Board, the Medical Research Council, and the Northern California Occupational Health Centre. Authors affiliated with University of North Carolina, NC; Wellington Hospital, New Zealand; University of California - Berkeley, CA; Princess Alexandra Hospital, Australia.)
- 256. Pekari K, Luotamo M, Jarvisalo J, Lindroos L, Aitio A. 1991. Urinary excretion of chlorinated phenols in saw-mill workers. *Int Arch Occup Environ Health* 63(1): 57-62.
- 257. Peper M, Ertl M, Gerhard I. 1999. Long-term exposure to wood-preserving chemicals containing pentachlorophenol and lindane is related to neurobehavioral performance in women. *Am J Ind Med* 35(6): 632-641.
- 258. Pierce RH, Brent CR, Williams HP, Reeves SG. 1977. Pentachlorophenol distribution in a fresh water ecosystem. *Bull Environ Contam Toxicol* 18: 251-258. (as cited in WHO 1987)

- 259. Pu X, Carlson G, Lee L. 2003. Oral bioavailability of pentachlorophenol from soils of varying characteristics using a rat model. *J Toxicol Environ Health A* 66(21): 2001-2013.
- 260. Purschke M, Jacobi H, Witte I. 2002. Differences in genotoxicity of H(2)O(2) and tetrachlorohydroquinone in human fibroblasts. *Mutat Res* 513(1-2): 159-167.
- 261. Qiao GL, Brooks JD, Riviere JE. 1997. Pentachlorophenol dermal absorption and disposition from soil in swine: effects of occlusion and skin microorganism inhibition. *Toxicol Appl Pharmacol* 147(2): 234-246.
- 262. Qiao GL, Riviere JE. 2002. Systemic uptake and cutaneous disposition of pentachlorophenol in a sequential exposure scenario: effects of skin preexposure to benzo[a]pyrene. *J Toxicol Environ Health A* 65(18): 1307-1331.
- 263. Ramel C, Magnusson J. 1979. Chemical induction of nondisjunction in drosophila. *Environ Health Perspect* 31: 59-66.
- Ramlow JM, Spadacene NW, Hoag SR, Stafford BA, Cartmill JB, Lerner PJ. 1996. Mortality in a cohort of pentachlorophenol manufacturing workers, 1940-1989. *Am J Ind Med* 30(2): 180-194. (Support not reported. Authors affiliated with Dow Chemical Company, MI.)
- 265. Reigner BG, Gungon RA, Hoag MK, Tozer TN. 1991. Pentachlorophenol toxicokinetics after intravenous and oral administration to rat. *Xenobiotica* 21(12): 1547-1558.
- 266. Reigner BG, Bois FY, Tozer TN. 1992a. Assessment of pentachlorophenol exposure in humans using the clearance concept. *Hum Exp Toxicol* 11(1): 17-26. (Supported by NIH and the University of California Toxic Substances Research and Training Program. Authors affiliated with University of California - San Francisco and Berkeley, CA;)
- 267. Reigner BG, Gungon RA, Bois FY, Zeise L, Tozer TN. 1992b. Pharmacokinetic concepts in assessing intake of pentachlorophenol by rats after exposure through drinking water. *J Pharm Sci* 81(11): 1113-1118. (Supported by NIH and the University of California Toxic Substances Research and Training Program. Authors affiliated with University of California San Francisco and Berkeley, CA; California Department of Health Services, CA.)
- 268. Reigner BG, Rigod JF, Tozer TN. 1992c. Disposition, bioavailability, and serum protein binding of pentachlorophenol in the B6C3F1 mouse. *Pharm Res* 9(8): 1053-1057.
- 269. Renner G. 1989. Urinary excretion of pentachlorophenol (PCP) and its metabolite tetrachlorohydroquinone (TCH) in rats. *Toxicol Environ Chem* 25: 29-32. (Support not reported. Author affiliated with Ludwig-Maximilians-Universitä München, Germany.)

- 270. Renner G, Hopfer C. 1990a. Metabolic studies on pentachlorophenol (PCP) in rats. *Xenobiotica* 20(6): 573-582.
- 271. Repetto G, Jos A, Hazen MJ, Molero ML, del Peso A, Salguero M, Castillo PD, Rodriguez-Vicente MC, Repetto M. 2001. A test battery for the ecotoxicological evaluation of pentachlorophenol. *Toxicol In Vitro* 15(4-5): 503-509.
- Robinson CF, Fowler D, Brown DP, Lemen RA. 1987. *Plywood Mill Workers' Mortality Patterns 1945-1977. NTIS No. 86-221694 revised March 1987.* NTIS PB 90-147075. Cincinnati, OH: National Institute for Occupational Safety and Health. 46 pp.
- 273. Rosensteel RE. 1978. Hazard Evaluation and Technical Assistance Report: United States Department of the Interior, National Park Service, Fort Stanwix National Monument, Rome, New York. Report No. TA 77-63. Cincinnati, OH: National Institute for Occupational Safety and Health. 12 pp.
- 274. Rozman T, Ballhorn L, Rozman K, Klaassen C, Greim H. 1982. Effect of cholestyramine on the disposition of pentachlorophenol in rhesus monkeys. J *Toxicol Environ Health* 10(2): 277-283. (Support not reported. Authors affiliated with Gesellschaft für Strahlen. und Umweltforschung mbH, Germany; University of Kansas Medical Center, KS.)
- 275. Ruder AM, Waters MA, Butler MA, Carreon T, Calvert GM, Davis-King KE, Schulte PA, Sanderson WT, Ward EM, Connally LB, Heineman EF, Mandel JS, Morton RF, Reding DJ, Rosenman KD, Talaska G. 2004. Gliomas and farm pesticide exposure in men: the upper midwest health study. *Arch Environ Health* 59(12): 650-657.
- 276. Ruder AM, Waters MA, Carreon T, Butler MA, Davis-King KE, Calvert GM, Schulte PA, Ward EM, Connally LB, Lu J, Wall D, Zivkovich Z, Heineman EF, Mandel JS, Morton RF, Reding DJ, Rosenman KD. 2006. The Upper Midwest Health Study: a case-control study of primary intracranial gliomas in farm and rural residents. J Agric Saf Health 12(4): 255-274.
- 277. Ruder AM, Carreón T, Butler MA, Calvert GM, Davis-King KE, Waters MA, Schulte PA, Mandel JS, Morton RF, Reding DJ, Rosenman KD. 2009. Exposure to farm crops, livestock, and farm tasks and risk of glioma: the Upper Midwest Health Study. *Am J Epidemiol* 169(12): 1479-1491. (Supported by the National Institute for Occupational Safety and Health (NIOSH) Initiative for Cancer Control Projects for Farmers and in part by Centers for Disease Control and Prevention/NIOSH operating funds. Authors affiliated with National Institute for Occupational Safety and Health, OH; University of Minnesota, MN; Mercy Foundation, IA; Marshfield Clinic, WI; Michigan State University, MI.)
- 278. Ruder AM, Yiin JH. 2011. Mortality of US pentachlorophenol production workers through 2005. *Chemosphere* 83(6): 851-861. (Supported by the US

National Institute for Occupational Safety and Health, CDC. Authors affiliated with NIOSH, OH.)

- 279. Rudling L. 1970. Determination of pentachlorophenol in organic tissues and water. *Water Res* 4: 533-537. (as cited in WHO 1987)
- 280. Ryan JJ. 1983. Higher chlorinated dioxins implicated in the mortality of young pigs kept on a pentachlorophenol-treated wooden floor. *Can Vet J* 24(3): 72-75.
- 281. Ryan JJ, Lizotte R, Sakuma T, Mori B. 1985. Chlorinated dibenzo-p-dioxins, chlorinated dibenzofurans, and pentachlorophenol in Canadian chicken and pork samples. *J Agric Food Chem* 33: 1021-1026. (as cited in Wild and Jones 1992)
- 282. Sai K, Upham BL, Kang KS, Hasegawa R, Inoue T, Trosko JE. 1998. Inhibitory effect of pentachlorophenol on gap junctional intercellular communication in rat liver epithelial cells in vitro. *Cancer Lett* 130(1-2): 9-17.
- 283. Sai K, Kanno J, Hasegawa R, Trosko JE, Inoue T. 2000. Prevention of the downregulation of gap junctional intercellular communication by green tea in the liver of mice fed pentachlorophenol. *Carcinogenesis* 21(9): 1671-1676.
- 284. Sai K, Kang KS, Hirose A, Hasegawa R, Trosko JE, Inoue T. 2001. Inhibition of apoptosis by pentachlorophenol in v-myc-transfected rat liver epithelial cells: relation to down-regulation of gap junctional intercellular communication. *Cancer Lett* 173(2): 163-174.
- 285. Sai-Kato K, Umemura T, Takagi A, Hasegawa R, Tanimura A, Kurokawa Y. 1995b. Pentachlorophenol-induced oxidative DNA damage in mouse liver and protective effect of antioxidants. *Food Chem Toxicol* 33(10): 877-882.
- 286. Samokyszyn VM, Freeman JP, Maddipati KR, Lloyd RV. 1995. Peroxidasecatalyzed oxidation of pentachlorophenol. *Chem Res Toxicol* 8(3): 349-355.
- 287. Sandau CD, Ayotte P, Dewailly E, Duffe J, Norstrom RJ. 2000. Analysis of hydroxylated metabolites of PCBs (OH-PCBs) and other chlorinated phenolic compounds in whole blood from Canadian inuit. *Environ Health Perspect* 108(7): 611-616.
- 288. Sangster B, Wegman RC, Hofstee AW. 1982. Non-occupational exposure to pentachlorophenol: clinical findings and plasma-PCP-concentrations in three families. *Hum Toxicol* 1(2): 123-133.
- 289. Santodonato J. 1986. *Monograph on human exposure to chemicals in the workplace: Pentachlorophenol.* NTIS/PB86-155116. (as cited in ATSDR 2001)
- 290. Saracci R, Kogevinas M, Bertazzi PA, Bueno de Mesquita BH, Coggon D, Green LM, Kauppinen T, L'Abbe KA, Littorin M, Lynge E, *et al.* 1991. Cancer

mortality in workers exposed to chlorophenoxy herbicides and chlorophenols. *Lancet* 338(8774): 1027-1032.

- 291. Saur JM, Walcheski PJ, Nicholas D-D, Gjovik LR. 1982. The concentration of airborne pentachlorophenol within treated wood structures. *Proc Ann Meet Am Wood Preserv Assoc* 78: 169-173. (as cited in WHO 1987)
- Schecter A, Jiang K, Papke O, Furst P, Furst C. 1994. Comparison of dibenzodioxin levels in blood and milk in agricultural workers and others following pentachlorophenol exposure in China. *Chemosphere* 29(9-11): 2371-2380.
- 293. Schmid E, Bauchinger M, Dresp J. 1982. Chromosome analyses of workers from a pentachlorophenol plant. *Prog Clin Biol Res* 109: 471-477. (Support not reported. Authors affiliated with GSF, Germany.)
- 294. Schnelle-Kreis J, Scherb H, Gebefugi I, Kettrup A, Weigelt E. 2000. Pentachlorophenol in indoor environments. Correlation of PCP concentrations in air and settled dust from floors. *Sci Total Environ* 256(2-3): 125-132.
- 295. Schwetz BA, Quast IF, Keeler PA, Humiston CG, Kociba RJ. 1978. Results of Two-Year Toxicity and Reproduction Studies on Pentachlorophenol in Rats. In *Pentachlorophenol: Chemistry, Pharmacology, and Environmental Toxicology*. Rao KR, ed. New York, NY: Plenum Press. pp. 301-309. (Support not reported. Authors affiliated with Dow Chemical, MI.)
- 296. Seiler JP. 1991. Pentachlorophenol. *Mutat Res* 257(1): 27-47. (Support not reported. Author affiliated with Intercantonal Office for the Control of Medicines, Switzerland.)
- 297. Shatalov V, et al. 2002. Contribution of EMEP/MSC-East to the report Health Risks of POPs from LRTAP. Moscow: EMEP Meteorological Synthesizing Centre. (as cited in Borysiewicz 2008)
- 298. Shore RF, Myhill DG, French MC, Leach DV, Stebbings RE. 1991. Toxicity and tissue distribution of pentachlorophenol and permethrin in pipistrelle bats experimentally exposed to treated timber. *Environ Pollut* 73(2): 101-118.
- 299. Siegwart Y. 1983. [Control of foodstuff in Switzerland in the year 1982]. *Mitt Geb Lebensm Hyg* 74: 179-319. (as cited in WHO 1987)
- 300. SMARTe.org. 2008. Understanding Units of Measurement. http://www.smarte.org/smarte/resource/sn-units-of-measure.xml.
- 301. Smith AH, Pearce NE, Fisher DO, Giles HJ, Teague CA, Howard JK. 1984. Soft tissue sarcoma and exposure to phenoxyherbicides and chlorophenols in New Zealand. *J Natl Cancer Inst* 73(5): 1111-1117. (Supported by the New Zealand Health Department, the War Pensions Medical Research Trust Board, the Medical

Research Council, and the Northern California Occupational Health Center. Authors affiliated with Wellington Clinical School of Medicine, New Zealand; University of California - Berkeley, CA.)

- 302. Smith AH, Lopipero P. 2001. Evaluation of the toxicity of dioxins and dioxin-like PCBs: A health risk appraisal for the New Zealand population. ME No. 351.
 Wellington: New Zealand Ministry for the Environment. 132 pp.
- 303. Smith GB, Lee SF, Netzer A. 1976. Model studies in aqueous chlorination: The chlorination of phenols in dilute aqueous solutions. *Water Res* 10: 985-990. (as cited in ATSDR)
- Smith JE, Loveless LE, Belden EA. 1996. Pentachlorophenol poisoning in newborn infants - St. Louis, Missouri, April-August 1967. MMWR 45(25): 545-549.
- 305. Smith JG, Christophers AJ. 1992. Phenoxy herbicides and chlorophenols: a case control study on soft tissue sarcoma and malignant lymphoma. *Br J Cancer* 65(3): 442-448. (Supported by the Health Department of Victoria. Authors affiliated with Peter MacCallum Cancer Institute, Australia; University of Melbourne, Australia.)
- 306. Spalding JW, French JE, Stasiewicz S, Furedi-Machacek M, Conner F, Tice RR, Tennant RW. 2000. Responses of transgenic mouse lines p53(+/-) and Tg.AC to agents tested in conventional carcinogenicity bioassays. *Toxicol Sci* 53(2): 213-223. (Support not reported. Authors affiliated with NIEHS, NC; Integrated Laboratory Systems, NC.)
- 307. SRI. 2012. *Directory of Chemical Producers*. Menlo Park, CA: SRI Consulting. Database edition. Accessed on 1/11/12.
- 308. Stang A, Witte I. 2010. The ability of the high-throughput comet assay to measure the sensitivity of five cell lines toward methyl methanesulfonate, hydrogen peroxide, and pentachlorophenol. *Mutat Res* 701(2): 103-106.
- Stedman TM, Jr., Booth NH, Bush PB, Page RK, Goetsch DD. 1980. Toxicity and bioaccumulation of pentachlorophenol in broiler chickens. *Poult Sci* 59(5): 1018-1026. (Support not reported. Authors affiliated with University of Georgia, GA.)
- 310. Stewart FP, Smith AG. 1986. Metabolism of the "mixed" cytochrome P-450 inducer hexachlorobenzene by rat liver microsomes. *Biochem Pharmacol* 35(13): 2163-2170.
- Suzuki T, Komatsu M, Isono H. 1997. Cytotoxicity of organochlorine pesticides and lipid peroxidation in isolated rat hepatocytes. *Biol Pharm Bull* 20(3): 271-274.

- 312. Tasaki M, Kuroiwa Y, Inoue T, Hibi D, Matsushita K, Ishii Y, Maruyama S, Nohmi T, Nishikawa A, Umemura T. 2012. Oxidative DNA damage and in vivo mutagenicity caused by reactive oxygen species generated in the livers of p53proficient or -deficient gpt delta mice treated with non-genotoxic hepatocarcinogens. *J Appl Toxicol*.
- 313. Tashiro S, Sasamoto T, Aikawa T, Tokunaga S. 1970. Metabolism of pentachlorophenol in mammals. *J Agric Chem Soc Japan* 44(3): 124-129.
- 314. Temme A, Buchmann A, Gabriel HD, Nelles E, Schwarz M, Willecke K. 1997. High incidence of spontaneous and chemically induced liver tumors in mice deficient for connexin32. *Curr Biol* 7(9): 713-716.
- 315. Teschke K, Hertzman C, Dimich-Ward H, Ostry A, Blair J, Hershler R. 1989. A comparison of exposure estimates by worker raters and industrial hygienists. *Scand J Work Environ Health* 15(6): 424-429.
- 316. Teschke K, Hertzman C, Fenske RA, Jin A, Ostry A, van Netten C, Leiss W. 1994. A history of process and chemical changes for fungicide application in the western Canadian lumber industry: what can we learn? *Appl Occup Environ Hyg* 9(12): 984-993.
- Teschke K, Marion SA, Ostry A, Hertzman C, Hershler R, Dimich-Ward H, Kelly S. 1996. Reliability of retrospective chlorophenol exposure estimates over five decades. *Am J Ind Med* 30(5): 616-622.
- 318. Teschke K, Ostry A, Hertzman C, Demers PA, Barroetavena MC, Davies HW, Dimich-Ward H, Heacock H, Marion SA. 1998. Opportunities for a broader understanding of work and health: multiple uses of an occupational cohort database. *Canadian journal of public health = Revue canadienne de sante publique* 89(2): 132-136.
- 319. Thind KS, Karmali S, House RA. 1991. Occupational exposure of electrical utility linemen to pentachlorophenol. *Am Ind Hyg Assoc J* 52(12): 547-552.
- 320. Thomasson G, Capizzi J, Dost F, Morrell J, Miller D. 2006. *Wood Preservation* and Wood Products Treatment: Training Manual. Oregon State University. 24 pp.
- 321. Thompson GE, Husain H, Parry J, Wardrop WL, Gilbride PJ. 1978. Hydrogeological control and clean-up of soil and groundwater contaminants at Northern Wood Preservers, Ltd. In *Proceedings of the Ontario Industrial Waste Conference, Toronto, June 18-21, Winnipeg, Manitoba*. Engineering Consultants. 18 pp. (as cited in WHO 1987)
- 322. Thompson TS, Treble RG. 1994. Preliminary results of a survey of pentachlorophenol levels in human urine. *Bull Environ Contam Toxicol* 53(2): 274-279.

- 323. Thompson TS, Treble RG. 1996. Pentachlorophenol levels in human urine. *Bull Environ Contam Toxicol* 56(4): 520-526.
- 324. Tisch M, Faulde MK, Maier H. 2005. Genotoxic effects of pentachlorophenol, lindane, transfluthrin, cyfluthrin, and natural pyrethrum on human mucosal cells of the inferior and middle nasal conchae. *Am J Rhinol* 19(2): 141-151.
- 325. To-Figueras J, Sala M, Otero R, Barrot C, Santiago-Silva M, Rodamilans M, Herrero C, Grimalt J, Sunyer J. 1997. Metabolism of hexachlorobenzene in humans: association between serum levels and urinary metabolites in a highly exposed population. *Environ Health Perspect* 105(1): 78-83. (Supported by Spanish "Fondo de Investigación Sanitaria." Authors affiliated with Universitat de Barcelona, Spain; Universitat Autónoma de Barcelona, Spain; CID-CSIC, Spain; Facultat de Medicina, Spain.)
- 326. TOXMAP. 2013. *TOXMAP: Environmental Health e-Maps*. U.S. National Library of Medicine. <u>http://toxmap.nlm.nih.gov/toxmap/main/index.jsp</u> and search pentachlorophenol. Accessed on 7/2/13.
- 327. Treble RG, Thompson TS. 1996. Normal values for pentachlorophenol in urine samples collected from a general population. *J Anal Toxicol* 20(5): 313-317.
- 328. TRI. 2013. *TRI Explorer Chemical Report*. U.S. Environmental Protection Agency. Last updated on 7/8/13. <u>http://www.epa.gov/triexplorer</u> and select pentachlorophenol.
- 329. Tsai CH, Lin PH, Waidyanatha S, Rappaport SM. 2001. Characterization of metabolic activation of pentachlorophenol to quinones and semiquinones in rodent liver. *Chem Biol Interact* 134(1): 55-71.
- Tsai CH, Lin PH, Waidyanatha S, Rappaport SM. 2002. Fractionation of protein adducts in rats and mice dosed with [14C]pentachlorophenol. *Arch Toxicol* 76(11): 628-633.
- 331. Uhl S, Schmid P, Schlatter C. 1986. Pharmacokinetics of pentachlorophenol in man. *Arch Toxicol* 58(3): 182-186.
- 332. Umemura T, Sai-Kato K, Takagi A, Hasegawa R, Kurokawa Y. 1996. Oxidative DNA damage and cell proliferation in the livers of B6C3F1 mice exposed to pentachlorophenol in their diet. *Fundam Appl Toxicol* 30(2): 285-289.
- 333. Umemura T, Kai S, Hasegawa R, Sai K, Kurokawa Y, Williams GM. 1999. Pentachlorophenol (PCP) produces liver oxidative stress and promotes but does not initiate hepatocarcinogenesis in B6C3F1 mice. *Carcinogenesis* 20(6): 1115-1120. (Supported by the Ministry of Health and Welfare, Japan. Authors affiliated with National Institute of Health Sciences, Japan; Showa Women's University, Japan; American Health Foundation, NY.)

- 334. Umemura T, Kai S, Hasegawa R, Kanki K, Kitamura Y, Nishikawa A, Hirose M. 2003a. Prevention of dual promoting effects of pentachlorophenol, an environmental pollutant, on diethylnitrosamine-induced hepato- and cholangiocarcinogenesis in mice by green tea infusion. *Carcinogenesis* 24(6): 1105-1109. (Support not reported. Authors affiliated with National Institute of Health Sciences, Japan; Showa Women's University, Japan.)
- 335. Umemura T, Kodama Y, Kanki K, Iatropoulos MJ, Nishikawa A, Hirose M, Williams GM. 2003b. Pentachlorophenol (but not phenobarbital) promotes intrahepatic biliary cysts induced by diethylnitrosamine to cholangio cystic neoplasms in B6C3F1 mice possibly due to oxidative stress. *Toxicol Pathol* 31(1): 10-13. (Support not reported. Authors affiliated with National Institute of Health Sciences, Japan; New York Medical College, NY.)
- 336. Umemura T, Kuroiwa Y, Kitamura Y, Ishii Y, Kanki K, Kodama Y, Itoh K, Yamamoto M, Nishikawa A, Hirose M. 2006. A crucial role of Nrf2 in in vivo defense against oxidative damage by an environmental pollutant, pentachlorophenol. *Toxicol Sci* 90(1): 111-119.
- 337. USITC. 2013. USITC Interactive Tariff and Trade Dataweb. United States International Trade Commission. <u>http://dataweb.usitc.gov/scripts/userset.asp</u> and search on HTS nos. 3808, 2908, 290811 and 380850. Accessed on 3/7/13.
- 338. Valo R, Kitunen V, Salkinova-Salonen M, Raisanen S. 1984. Chlorinated phenols as contaminants of soil and water in the vicinity of 2 Finnish sawmills. *Chemosphere* 13: 835-844. (as cited in WHO 1987)
- 339. Van den Berg M, Birnbaum LS, Denison M, De Vito M, Farland W, Feeley M, Fiedler H, Hakansson H, Hanberg A, Haws L, Rose M, Safe S, Schrenk D, Tohyama C, Tritscher A, Tuomisto J, Tysklind M, Walker N, Peterson RE. 2006. The 2005 World Health Organization reevaluation of human and Mammalian toxic equivalency factors for dioxins and dioxin-like compounds. *Toxicol Sci* 93(2): 223-241. (Support not reported. Authors affiliated with Universiteit Utrecht, Netherlands; U.S. EPA, NC and Washington, D.C.; University of California at Davis, CA; Health Canada, Canada; United Nations Environment Program Chemicals, Switzerland; Karolinska Institutet, Sweden; ChemRisk, TX; Central Science Laboratory, UK; Texas A&M University, TX; University of Kaiserslautern, Germany; University of Tokyo, Japan; WHO, Switzerland; National Public Health Institute, Finland; Umeå University, Sweden; NIEHS, NC; University of Wisconsin, WI.)
- 340. van Langeveld HEAM. 1975. Determination of pentachlorophenol in toy paints. J Assoc Off Anal Chem 58: 19-22. (as cited in WHO 1987)
- 341. van Ommen B, van Bladeren PJ, Temmink JH, Brader L, Müller F. 1986a. The microsomal oxidation of hexachlorobenzene to pentachlorophenol: effect of

inducing agents. *IARC Sci Publ*(77): 323-324. (Support not reported. Authors affiliated with Agricultural University - Wageningen, Netherlands.)

- 342. van Ommen B, Voncken JW, Muller F, van Bladeren PJ. 1988. The oxidation of tetrachloro-1,4-hydroquinone by microsomes and purified cytochrome P-450b. Implications for covalent binding to protein and involvement of reactive oxygen species. *Chem Biol Interact* 65(3): 247-259.
- 343. van Ommen B, Hendriks W, Bessems JG, Geesink G, Muller F, van Bladeren PJ. 1989. The relation between the oxidative biotransformation of hexachlorobenzene and its porphyrinogenic activity. *Toxicol Appl Pharmacol* 100(3): 517-528.
- 344. van Rensburg JFJ. 1981. Health aspects of organic substances in South African waters opinions and realities. *Water S Afr* 7: 139-149. (as cited in WHO 1987)
- 345. Vena J, Boffetta P, Becher H, Benn T, Bueno-de-Mesquita HB, Coggon D, Colin D, Flesch-Janys D, Green L, Kauppinen T, Littorin M, Lynge E, Mathews JD, Neuberger M, Pearce N, Pesatori AC, Saracci R, Steenland K, Kogevinas M. 1998. Exposure to dioxin and nonneoplastic mortality in the expanded IARC international cohort study of phenoxy herbicide and chlorophenol production workers and sprayers. *Environ Health Perspect* 106 Suppl 2: 645-653.
- 346. Vinken M, Doktorova T, Decrock E, Leybaert L, Vanhaecke T, Rogiers V. 2009a. Gap junctional intercellular communication as a target for liver toxicity and carcinogenicity Hepatic connexin channels and homeostatic imbalance M. Vinken *et al. Crit Rev Biochem Mol Biol* 44(4): 201-222. (Supported by the Fund for Scientific Research Flanders (FWO-Vlaanderen), the Interuniversity Attraction Poles Program (Belgian Science Policy), the Research Council of the Vrije Universiteit Brussel (OZR-VUB) and the European Union (FP6 projects carcinoGENOMICS and LIINTOP). Authors affiliated with Vrije Universiteit Brussel, Belgium; Ghent University, Belgium.)
- 347. Vinken M, De Rop E, Decrock E, De Vuyst E, Leybaert L, Vanhaecke T, Rogiers V. 2009b. Epigenetic regulation of gap junctional intercellular communication: more than a way to keep cells quiet? *Biochim Biophys Acta* 1795(1): 53-61.
- 348. Vogel E, Chandler JL. 1974. Mutagenicity testing of cyclamate and some pesticides in Drosophila melanogaster. *Experientia* 30(6): 621-623.
- 349. Waite DT, Gurprasad NP, Cessna AJ, Quiring DV. 1998. Atmospheric pentachlorophenol concentrations in relation to air temperature at five Canadian locations. *Chemosphere* 37(9-12): 2251-2260.
- 350. Wang YJ, Lin JK. 1995. Estimation of selected phenols in drinking water with *in situ* acetylation and study on the DNA damaging properties of polychlorinated phenols. *Arch Environ Contam Toxicol* 28(4): 537-542. (Supported by the National Science Council, Taiwan. Authors affiliated with National Taiwan University, China.)

- 351. Wang YJ, Ho YS, Chu SW, Lien HJ, Liu TH, Lin JK. 1997. Induction of glutathione depletion, p53 protein accumulation and cellular transformation by tetrachlorohydroquinone, a toxic metabolite of pentachlorophenol. *Chem Biol Interact* 105(1): 1-16.
- 352. Wang YJ, Ho YS, Jeng JH, Su HJ, Lee CC. 2000. Different cell death mechanisms and gene expression in human cells induced by pentachlorophenol and its major metabolite, tetrachlorohydroquinone. *Chem Biol Interact* 128(3): 173-188.
- 353. Waters MD, Sandhu SS, Simmon VF, Mortelmans KE, Mitchell AD, Jorgenson TA, Jones DC, Valencia R, Garrett NE. 1982. Study of pesticide genotoxicity. *Basic Life Sci* 21: 275-326.
- 354. Wegman RC, Hofstee AW. 1979. Chlorophenols in surface waters of the Netherlands. *Water Res* 13: 651-657. (as cited in WHO 1987)
- 355. Wester RC, Maibach HI, Sedik L, Melendres J, Wade M, DiZio S. 1993. Percutaneous absorption of pentachlorophenol from soil. *Fundam Appl Toxicol* 20(1): 68-71.
- 356. White KL, Jr., Anderson AC. 1985. Suppression of mouse complement activity by contaminants of technical grade pentachlorophenol. *Agents Actions* 16(5): 385-392.
- 357. WHO. 1987. Environmental Health Criteria 71. Pentachlorophenol. World Health Organization. <u>http://www.inchem.org/documents/ehc/ehc/ehc71.htm</u>. Accessed on 8/31/11.
- 358. Wild SR, Jones KC. 1992. Pentachlorophenol in the UK environment .II. Human exposure and an assessment of pathways. *Chemosphere* 24(7): 847-855. (Support not reported. Authors affiliated with Lancaster University, UK.)
- 359. Williams PL. 1982. Pentachlorophenol, an assessment of the occupational hazard. *Am Ind Hyg Assoc J* 43(11): 799-810. (Support not reported. Author affiliated with Georgia Institute of Technology, GA.)
- 360. Wilson NK, Chuang JC, Lyu C, Menton R, Morgan MK. 2003. Aggregate exposures of nine preschool children to persistent organic pollutants at day care and at home. *J Expo Anal Environ Epidemiol* 13(3): 187-202.
- 361. Wilson NK, Chuang JC, Morgan MK, Lordo RA, Sheldon LS. 2007. An observational study of the potential exposures of preschool children to pentachlorophenol, bisphenol-A, and nonylphenol at home and daycare. *Environ Res* 103(1): 9-20. (Supported by the U.S. Environmental Protection Agency. Authors affiliated with Battelle, NC and OH; U.S. EPA, NC.)

- 362. Wilson NK, Strauss WJ, Iroz-Elardo N, Chuang JC. 2010. Exposures of preschool children to chlorpyrifos, diazinon, pentachlorophenol, and 2,4dichlorophenoxyacetic acid over 3 years from 2003 to 2005: A longitudinal model. *J Expo Sci Environ Epidemiol* 20(6): 546-558.
- 363. Wilson RD, Ziprin RL, Clark DE, Elissalde MH. 1982. Absorption of pentachlorophenol by the ovine lymphatic system: a technical note. *Vet Hum Toxicol* 24(1): 12-14. (Support not reported. Authors affiliated with UU.S. Department of Agriculture, TX.)
- 364. Wispriyono B, Matsuoka M, Igisu H. 2002. Effects of pentachlorophenol and tetrachlorohydroquinone on mitogen-activated protein kinase pathways in Jurkat T cells. *Environ Health Perspect* 110(2): 139-143.
- 365. Witte I, Juhl U, Butte W. 1985. DNA-damaging properties and cytotoxicity in human fibroblasts of tetrachlorohydroquinone, a pentachlorophenol metabolite. *Mutat Res* 145(1-2): 71-75. (Supported by the Bundesministerium für Forschung und Technologie, FRG, Projekt UC CMT 37. Authors affiliated with Universität Oldenburg, Germany.)
- 366. Wong AS, Crosby DG. 1978. Photolysis of pentachlorophenol in water. In Pentachlorophenol: Chemistry, Pharmacology and Environmental Toxicology. Rao KR, ed. New York, NY: Plenum Press. p. 19-25.
- 367. Wong AS, Crosby DG. 1981. Photodecomposition of pentachlorophenol in water. *J Agric Food Chem* 29: 125-130. (as cited in WHO 1987)
- 368. Wood S, Rom WN, White GL, Jr., Logan DC. 1983. Pentachlorophenol poisoning. *J Occup Med* 25(7): 527-530.
- 369. Wyllie JA, Gabica J, Benson WW, Yoder J. 1975. Exposure and contamination of the air and employees of a pentachlorophenol plant, Idaho--1972. *Pestic Monit J* 9(3): 150-153. (Supported by the U.S. EPA. Authors affiliated with Department of Health and Welfare, ID.)
- 370. Xu J. 1996. In vivo test for chemical induction of micronucleated polychromatic erythrocytes in mouse bone marrow cells. MRID 43911301. Unpublished report. Study conducted by SITEK Research Laboratories, Rockville, MD for the Pentachlorophenol Task Force c/o SRA International, Inc., Washington, DC. Submitted to the U.S. Environmental Protection Agency, Washington, DC. (as cited in EPA 2010)
- 371. Yin D, Gu Y, Li Y, Wang X, Zhao Q. 2006. Pentachlorophenol treatment in vivo elevates point mutation rate in zebrafish p53 gene. *Mutat Res* 609(1): 92-101.
- 372. Yin R, Zhang D, Song Y, Zhu BZ, Wang H. 2013. Potent DNA damage by polyhalogenated quinones and H(2)O(2) via a metal-independent and Intercalation-enhanced oxidation mechanism. *Sci Rep* 3: 1269.

- 373. Young RHF, Lau LS, Konno SK, et al. 1976. Water Quality Monitoring: Kaneohe Bay and Selected Watersheds, July to December 1975. Technical Report No. 98. Honolulu, Hawaii: Water Resources Research Center, University of Hawaii. (as cited in ATSDR 2001)
- 374. Yuan JH, Goehl TJ, Murrill E, Moore R, Clark J, Hong HL, Irwin RD. 1994. Toxicokinetics of pentachlorophenol in the F344 rat. Gavage and dosed feed studies. *Xenobiotica* 24(6): 553-560.
- 375. Zheng RZ, Zhang QH, He YX, Zhang Q, Yang LS, Zhang ZH, Zhang XJ, Hu JT, Huang F. 2013b. Historical long-term exposure to pentachlorophenol causing risk of cancer a community study. *Asian Pac J Cancer Prev* 14(2): 811-816.
- 376. Zheng W, Wang X, Yu H, Tao X, Zhou Y, Qu W. 2011. Global trends and diversity in pentachlorophenol levels in the environment and in humans: a meta-analysis. *Environ Sci Technol* 45(11): 4668-4675.
- 377. Zheng W, Yu H, Wang X, Qu W. 2012. Systematic review of pentachlorophenol occurrence in the environment and in humans in China: not a negligible health risk due to the re-emergence of schistosomiasis. *Environ Int* 42: 105-116.
- 378. Zhu BZ, Kitrossky N, Chevion M. 2000. Evidence for production of hydroxyl radicals by pentachlorophenol metabolites and hydrogen peroxide: A metalindependent organic Fenton reaction. *Biochem Biophys Res Comm* 270: 942-946. (Support not reported. Authors affiliated with Hebrew University-Hadassah Schools of Medicine and Dental Medicine, Israel; Oregon State University, OR.)
- 379. Zhu BZ, Shan GQ. 2009. Potential mechanism for pentachlorophenol-induced carcinogenicity: a novel mechanism for metal-independent production of hydroxyl radicals. *Chem Res Toxicol* 22(6): 969-977.
- 380. Zhu BZ, Zhu JG, Fan RM, Mao L. 2011a. Metal-Independent Pathways of Chlorinated Phenol/Quinone Toxicity. *Adv Mol Toxicol* 5: 1-43. (Supported by Project 973, the Hundred-Talent Project, NSFC, The Hebrew University of Jerusalem and NIH. Authors affiliated with Chinese Academy of Sciences, China.)
- 381. Zhu BZ, Fan RM, Qu N. 2011b. A novel mechanism for metal-independent hydroxyl radical production by hydrogen peroxide and halogenated quinones. *Mini Rev Org Chem* 8(4): 434-437. (Supported by Project 973, the Hundred-Talent Project, NSFC and NIH. Authors affiliated with Chinese Academy of Sciences, China.)
- 382. Ziegler JL, Beckstead JA, Volberding PA, Abrams DI, Levine AM, Lukes RJ, Gill PS, Burkes RL, Meyer PR, Metroka CE, *et al.* 1984. Non-Hodgkin's lymphoma in 90 homosexual men. Relation to generalized lymphadenopathy and the acquired immunodeficiency syndrome. *N Engl J Med* 311(9): 565-570.

- 383. Ziemsen B, Angerer J, Lehnert G. 1987. Sister chromatid exchange and chromosomal breakage in pentachlorophenol (PCP) exposed workers. *Int Arch Occup Environ Health* 59(4): 413-417. (Support not reported. Authors affiliated with Ordinariat für Arbeitsmedizin, Germany.)
- Zimmerli B, Marschall T, Marek B. 1979. [Preliminary studies on occurrence of pentachlorophenol in human urine]. *Mitt Geb Lebensmittelunters Hyg* 70: 443-450. (as cited in WHO 1987)