F1_Rev.1_M3

C Number:	C20005
Lock Date:	10/10/2006
Cage Range:	ALL
Date Range:	ALL
Reasons For Removal:	ALL
Removal Date Range:	ALL
Treatment Groups:	Include ALL
Study Gender:	Both
TDMSE Version:	2.1.0

B6C3F1 MICE MALE	0 MG/KG	1250 MG/KG	2500 MG/KG	5000 MG/KG
Disposition Summary				
Animals Initially in Study	50	50	50	50
Early Deaths				
Accidently Killed				1
Moribund Sacrifice	12	10	8	8
Natural Death	6	7	4	8
Survivors				
Moribund Sacrifice		1		
Natural Death				1
Terminal Sacrifice	32	32	38	32
Animals Examined Microscopically	50	50	50	50
ALIMENTARY SYSTEM				
Esophagus	(50)	(50)	(50)	(50)
Arteriole, Periesophageal Tissue, Inflammation		1 [2.0]		
Periesophageal Tissue, Inflammation			1 [1.0]	
Gallbladder	(49)	(50)	(49)	(50)
Cyst	1 [1.0]		1 [1.0]	
Inflammation				2 [1.5]
Intestine Large, Cecum	(50)	(50)	(50)	(50)
Inflammation		1 [1.0]		
Intestine Large, Colon	(50)	(50)	(50)	(50)
Serosa, Inflammation	1 [3.0]			
Intestine Small, Duodenum	(50)	(50)	(50)	(50)
Intestine Small, Ileum	(50)	(50)	(50)	(50)
Inflammation			1 [3.0]	1 [2.0]
Serosa, Inflammation	1 [1.0]			
Intestine Small, Jejunum	(50)	(50)	(50)	(50)
Inflammation			1 [1.0]	
Peyer's Patch, Hyperplasia				2 [3.0]
Serosa, Inflammation	1 [2.0]			
Liver	(50)	(50)	(50)	(50)
Amyloid Deposition	1 [1.0]			
Angiectasis	1 [2.0]	1 [2.0]		
Basophilic Focus	3	3	4	1

a - Number of animals examined microscopically at site and number of animals with lesion
b - Average severity grade (1-minimal; 2-mild; 3-moderate; 4-marked)

B6C3F1 MICE MALE	0 MG/KG	1250 MG/KG	2500 MG/KG	5000 MG/KG
Clear Cell Focus	11	21	21	16
Eosinophilic Focus	17	16	18	21
Fibrosis	1 [2.0]			
Hyperplasia, Regenerative	1 [3.0]			
Infarct				1
Infiltration Cellular, Lymphocyte			1 [3.0]	
Inflammation	8 [1.3]	4 [1.0]	7 [1.1]	3 [1.0]
Mixed Cell Focus	8	6	5	5
Tension Lipidosis	2	3	3	1
Thrombosis			1 [2.0]	
Bile Duct, Inflammation				1 [2.0]
Hepatocyte, Atypia Cellular	1 [1.0]	1 [1.0]		
Hepatocyte, Necrosis	3 [2.0]	4 [2.0]	4 [2.8]	1 [2.0]
Hepatocyte, Vacuolization Cytoplasmic, Diffuse	12 [1.1]	15 [1.1]	11 [1.0]	17 [1.0]
Kupffer Cell, Pigmentation, Hemosiderin		1 [2.0]		
Mesentery	(3)	(4)	(6)	(0)
Necrosis	2 [2.5]	2 [2.5]	4 [3.0]	
Artery, Inflammation		1 [3.0]		
Pancreas	(50)	(50)	(50)	(50)
Basophilic Focus	1	1	1	
Infiltration Cellular, Lipocyte	1 [1.0]			
Salivary Glands	(50)	(50)	(50)	(50)
Infiltration Cellular, Mononuclear Cell			1 [1.0]	
Stomach, Forestomach	(50)	(50)	(50)	(50)
Erosion			1 [3.0]	
Inflammation	1 [2.0]		2 [1.0]	
Ulcer	2 [2.5]	1 [3.0]	5 [2.4]	1 [3.0]
Epithelium, Diverticulum	1			
Epithelium, Hyperplasia	5 [2.2]	4 [1.5]	3 [2.7]	2 [2.0]
Epithelium, Hyperplasia, Focal		1 [3.0]		
Stomach, Glandular	(50)	(50)	(50)	(50)
Inflammation			1 [1.0]	
Ulcer	1 [2.0]		1 [3.0]	
Epithelium, Mineralization		1 [1.0]	1 [1.0]	1 [2.0]
Tooth	(13)	(15)	(9)	(13)
Dysplasia	11	11	8	10

CARDIOVASCULAR SYSTEM

a - Number of animals examined microscopically at site and number of animals with lesion
b - Average severity grade (1-minimal; 2-mild; 3-moderate; 4-marked)

B6C3F1 MICE MALE	0 MG/KG	1250 MG/KG	2500 MG/KG	5000 MG/KG
Blood Vessel	(50)	(48)	(50)	(50)
Inflammation		1 [2.0]		
Heart	(50)	(50)	(50)	(50)
Cardiomyopathy	42 [1.5]	43 [1.3]	45 [1.4]	41 [1.3]
Hemorrhage		1 [3.0]		
Inflammation		2 [2.0]		
Mineralization	1 [1.0]		1 [1.0]	
Artery, Inflammation		3 [2.3]		
Artery, Mineralization		1 [1.0]		
Ventricle, Thrombosis				1 [1.0]
ENDOCRINE SYSTEM				
Adrenal Cortex	(50)	(50)	(50)	(50)
Hyperplasia	10 [1.5]	16 [1.6]	16 [1.3]	6 [1.2]
Hypertrophy	28 [1.5]	24 [1.5]	31 [1.5]	35 [1.5]
Subcapsular, Hyperplasia, Focal	1 [3.0]			
Adrenal Medulla	(50)	(50)	(50)	(50)
Hyperplasia	2 [2.0]		1 [1.0]	
Islets, Pancreatic	(50)	(50)	(50)	(50)
Hyperplasia	38 [1.6]	38 [1.8]	38 [1.7]	40 [1.8]
Parathyroid Gland	(49)	(48)	(45)	(48)
Cyst			1 [1.0]	
Pituitary Gland	(50)	(50)	(50)	(50)
Pars Distalis, Cyst	2 [2.0]	1 [1.0]	1 [2.0]	5 [1.2]
Pars Distalis, Hyperplasia	3 [1.3]	4 [1.0]	2 [1.5]	3 [1.0]
Pars Intermedia, Hyperplasia	1 [2.0]			
Thyroid Gland	(50)	(50)	(50)	(50)
Follicle, Cyst	1 [2.0]		2 [1.0]	
GENERAL BODY SYSTEM				
None				
GENITAL SYSTEM				
Epididymis	(50)	(50)	(50)	(50)
Granuloma Sperm	2 [2.0]	4 [2.3]	1 [3.0]	1 [2.0]

a - Number of animals examined microscopically at site and number of animals with lesion
b - Average severity grade (1-minimal; 2-mild; 3-moderate; 4-marked)

B6C3F1 MICE MALE	0 MG/KG	1250 MG/KG	2500 MG/KG	5000 MG/KG
Inflammation	2 [1.0]	4 [1.0]	6 [1.0]	2 [2.0]
Preputial Gland	(50)	(50)	(50)	(50)
Inflammation	5 [2.0]	6 [2.7]	4 [2.3]	8 [2.6]
Duct, Ectasia	9 [2.9]	7 [2.1]	6 [2.5]	12 [2.5]
Prostate	(50)	(50)	(50)	(50)
Inflammation	3 [1.3]		2 [2.0]	
Epithelium, Hyperplasia				1 [2.0]
Seminal Vesicle	(50)	(50)	(50)	(50)
Dilatation			1 [3.0]	
Inflammation				1 [1.0]
Testes	(50)	(50)	(50)	(50)
Mineralization	3 [1.0]			
Germinal Epithelium, Atrophy	2 [2.5]	4 [2.0]	5 [1.8]	4 [1.5]
Interstitial Cell, Hyperplasia		1 [1.0]		
HEMATOPOIETIC SYSTEM				
Bone Marrow	(50)	(50)	(50)	(50)
Hyperplasia	1 [4.0]		1 [4.0]	
Lymph Node	(2)	(2)	(2)	(1)
Inguinal, Hyperplasia, Plasma Cell				1 [2.0]
Lymph Node, Mandibular	(50)	(50)	(50)	(50)
Hyperplasia, Plasma Cell	1 [2.0]			
Lymph Node, Mesenteric	(50)	(49)	(50)	(50)
Hemorrhage		1 [2.0]		
Hyperplasia, Lymphoid	1 [4.0]			1 [3.0]
Hyperplasia, Plasma Cell	1 [2.0]		1 [4.0]	
Necrosis		1 [1.0]		
Artery, Inflammation		1 [3.0]		
Spleen	(50)	(50)	(50)	(50)
Hematopoietic Cell Proliferation	2 [2.5]	5 [2.0]	7 [1.7]	6 [2.0]
Hyperplasia, Lymphoid	7 [1.7]	11 [1.7]	11 [1.5]	4 [1.8]
Lymphoid Follicle, Atrophy	5 [1.8]	7 [2.3]	1 [3.0]	4 [2.5]
Red Pulp, Atrophy	1 [2.0]			
Vein, Inflammation		1 [1.0]		
Thymus	(47)	(50)	(50)	(49)
Cyst			1 [2.0]	
Inflammation		1 [2.0]		
Arteriole, Inflammation		1 [2.0]		

a - Number of animals examined microscopically at site and number of animals with lesion
b - Average severity grade (1-minimal; 2-mild; 3-moderate; 4-marked)

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH AVERAGE SEVERITY GRADES[b]
Ginseng
CAS Number: 50647-08-0

B6C3F1 MICE MALE	0 MG/KG	1250 MG/KG	2500 MG/KG	5000 MG/KG
INTEGUMENTARY SYSTEM				
Skin	(50)	(50)	(50)	(50)
Inflammation		1 [2.0]		2 [1.5]
Ulcer	2 [4.0]	1 [3.0]	1 [3.0]	2 [4.0]
Subcutaneous Tissue, Edema		1 [2.0]		
MUSCULOSKELETAL SYSTEM				
Skeletal Muscle	(1)	(1)	(0)	(0)
NERVOUS SYSTEM				
Brain	(50)	(50)	(50)	(50)
Hemorrhage		1 [3.0]		
Hippocampus, Neuron, Necrosis			1 [1.0]	
Meninges, Hemorrhage				1 [2.0]
RESPIRATORY SYSTEM				
Lung	(50)	(50)	(50)	(50)
Hemorrhage	1 [2.0]		2 [2.5]	
Inflammation	4 [2.0]	2 [2.0]	2 [1.0]	1 [1.0]
Pigmentation, Hemosiderin				1 [2.0]
Thrombosis	1 [1.0]		2 [2.5]	1 [1.0]
Alveolar Epithelium, Hyperplasia	3 [2.3]	1 [1.0]	6 [1.3]	
Alveolus, Infiltration Cellular, Histiocyte				1 [2.0]
Arteriole, Inflammation	1 [2.0]			
Nose	(50)	(49)	(49)	(50)
Inflammation	6 [1.8]	5 [1.4]	7 [2.0]	6 [2.0]
Polyp, Inflammatory		3 [3.0]		
Trachea	(50)	(50)	(50)	(50)
SPECIAL SENSES SYSTEM				
Eye	(50)	(50)	(50)	(50)

a - Number of animals examined microscopically at site and number of animals with lesion
b - Average severity grade (1-minimal; 2-mild; 3-moderate; 4-marked)

B6C3F1 MICE MALE	0 MG/KG	1250 MG/KG	2500 MG/KG	5000 MG/KG
Cornea, Inflammation	3 [2.0]	3 [1.7]	1 [1.0]	3 [1.3]
Optic Nerve, Atrophy	1 [1.0]			
Retina, Dysplasia	1 [1.0]			1 [1.0]
Retina, Hemorrhage		1 [2.0]		
Harderian Gland	(50)	(50)	(50)	(50)
Hyperplasia		2 [2.0]	1 [2.0]	1 [2.0]
Inflammation			1 [2.0]	
URINARY SYSTEM				
Kidney	(50)	(50)	(50)	(50)
Cyst	9 [1.4]	6 [1.8]	7 [1.1]	7 [1.3]
Hydronephrosis	2 [1.5]	2 [2.0]	3 [2.0]	3 [1.3]
Infarct	1 [2.0]		1 [2.0]	4 [1.8]
Inflammation	2 [1.5]	2 [1.5]	1 [3.0]	1 [2.0]
Metaplasia, Osseous			2 [2.0]	
Mineralization			2 [1.5]	
Nephropathy	48 [1.8]	47 [1.9]	48 [2.0]	47 [1.7]
Arteriole, Inflammation		1 [2.0]		
Artery, Inflammation		2 [3.0]	1 [3.0]	
Papilla, Necrosis	1 [1.0]			
Pelvis, Inflammation		1 [1.0]		1 [2.0]
Renal Tubule, Hyperplasia		2 [1.0]	2 [1.0]	
Vein, Inflammation			1 [2.0]	
Urinary Bladder	(50)	(50)	(50)	(50)
Inflammation	1 [4.0]		1 [3.0]	
Transitional Epithelium, Hyperplasia	1 [4.0]			

*** END OF MALE ***

a - Number of animals examined microscopically at site and number of animals with lesion
b - Average severity grade (1-minimal; 2-mild; 3-moderate; 4-marked)

B6C3F1 MICE FEMALE	0 MG/KG	1250 MG/KG	2500 MG/KG	5000 MG/KG
Disposition Summary				
Animals Initially in Study	50	50	50	50
Early Deaths				
Dosing Accident			1	4
Moribund Sacrifice	7	11	10	8
Natural Death	5	8	5	6
Survivors				
Terminal Sacrifice	38	31	34	32
Animals Examined Microscopically	50	50	50	50
ALIMENTARY SYSTEM				
Esophagus	(50)	(50)	(50)	(50)
Perforation			2	
Muscularis, Degeneration	1 [1.0]			
Periesophageal Tissue, Inflammation			3 [2.3]	1 [1.0]
Gallbladder	(49)	(50)	(50)	(50)
Cyst		2 [2.0]	1 [2.0]	1 [2.0]
Intestine Large, Cecum	(50)	(50)	(50)	(50)
Intestine Large, Colon	(50)	(50)	(50)	(50)
Intestine Large, Rectum	(50)	(50)	(50)	(50)
Intestine Small, Duodenum	(49)	(50)	(50)	(50)
Intestine Small, Jejunum	(50)	(50)	(50)	(50)
Liver	(50)	(50)	(50)	(50)
Angiectasis	2 [1.5]		2 [2.5]	
Basophilic Focus	1			2
Clear Cell Focus	4	3	2	2
Eosinophilic Focus	15	14	3	9
Hyperplasia, Regenerative		1 [3.0]		
Infiltration Cellular, Lymphocyte			1 [2.0]	
Inflammation	14 [1.3]	11 [1.1]	10 [1.0]	14 [1.2]
Mixed Cell Focus	2	5	2	2
Tension Lipidosis	2	5	4	8
Thrombosis			1 [2.0]	1 [4.0]
Hepatocyte, Atypia Cellular		1 [1.0]		
Hepatocyte, Necrosis	4 [1.3]	2 [2.5]		1 [2.0]
Hepatocyte, Vacuolization Cytoplasmic,	8 [1.8]	10 [1.1]	10 [1.1]	5 [1.2]

a - Number of animals examined microscopically at site and number of animals with lesion
b - Average severity grade (1-minimal; 2-mild; 3-moderate; 4-marked)

B6C3F1 MICE FEMALE	0 MG/KG	1250 MG/KG	2500 MG/KG	5000 MG/KG
Diffuse				
Mesentery	(8)	(9)	(7)	(4)
Inflammation			1 [2.0]	
Necrosis	8 [3.0]	8 [3.0]	5 [3.0]	4 [3.0]
Fat, Necrosis			1 [3.0]	
Pancreas	(50)	(50)	(50)	(50)
Basophilic Focus		2		
Hemorrhage		1 [2.0]		
Infiltration Cellular, Lipocyte		3 [1.3]		
Inflammation		2 [2.0]		
Acinus, Hyperplasia	4 [2.8]	1 [2.0]	1 [3.0]	
Artery, Inflammation			1 [3.0]	
Duct, Cyst	1 [3.0]			
Salivary Glands	(50)	(50)	(50)	(50)
Stomach, Forestomach	(50)	(50)	(50)	(50)
Infiltration Cellular, Mast Cell			1 [2.0]	
Inflammation		1 [1.0]	1 [1.0]	
Ulcer			1 [3.0]	
Epithelium, Hyperplasia	2 [1.5]	2 [1.5]	3 [1.7]	4 [1.0]
Epithelium, Hyperplasia, Focal		1 [3.0]	2 [3.5]	
Stomach, Glandular	(50)	(50)	(50)	(50)
Erosion		1 [3.0]	1 [2.0]	
Ulcer			1 [1.0]	
Epithelium, Mineralization	1 [1.0]	1 [1.0]		
CARDIOVASCULAR SYSTEM				
Blood Vessel	(50)	(50)	(50)	(50)
Inflammation	1 [3.0]		1 [3.0]	1 [3.0]
Mineralization		1 [3.0]		
Media, Hyperplasia	1 [3.0]			
Heart	(50)	(50)	(50)	(50)
Cardiomyopathy	35 [1.1]	40 [1.2]	38 [1.2]	31 [1.1]
Inflammation		2 [1.0]	3 [1.7]	1 [1.0]
Mineralization		2 [1.0]		
Artery, Inflammation				2 [1.5]
Atrium, Thrombosis		1 [1.0]		
Epicardium, Hyperplasia		1 [1.0]		
Myocardium, Hyperplasia, Reticulum Cell	1 [2.0]			

a - Number of animals examined microscopically at site and number of animals with lesion
b - Average severity grade (1-minimal; 2-mild; 3-moderate; 4-marked)

B6C3F1 MICE FEMALE	0 MG/KG	1250 MG/KG	2500 MG/KG	5000 MG/KG
Valve, Thrombosis		2 [2.0]		
Ventricle, Thrombosis	1 [3.0]			1 [4.0]
ENDOCRINE SYSTEM				
Adrenal Cortex	(50)	(50)	(50)	(50)
Hyperplasia	8 [1.3]	1 [2.0]	3 [1.3]	6 [1.0]
Hypertrophy	39 [1.3]	40 [1.3]	39 [1.3]	39 [1.2]
Adrenal Medulla	(50)	(50)	(50)	(50)
Amyloid Deposition		1 [2.0]		
Hyperplasia	3 [1.3]	3 [1.7]	6 [1.3]	2 [1.5]
Islets, Pancreatic	(50)	(50)	(50)	(50)
Hyperplasia	16 [1.4]	15 [1.3]	17 [1.4]	15 [1.3]
Parathyroid Gland	(41)	(44)	(39)	(43)
Hyperplasia				1 [1.0]
Pituitary Gland	(50)	(50)	(50)	(49)
Pars Distalis, Cyst		2 [1.5]		
Pars Distalis, Hyperplasia	18 [1.4]	18 [1.9]	19 [1.7]	18 [1.6]
Thyroid Gland	(49)	(50)	(50)	(50)
Inflammation				1 [1.0]
C-cell, Hyperplasia			1 [1.0]	
Follicle, Cyst		1 [2.0]	2 [2.0]	1 [2.0]
GENERAL BODY SYSTEM				
None				
GENITAL SYSTEM				
Clitoral Gland	(50)	(50)	(49)	(50)
Inflammation				1 [3.0]
Ovary	(50)	(50)	(50)	(50)
Cyst	4 [2.5]	7 [2.9]	6 [2.8]	2 [2.0]
Hemorrhage		1 [4.0]	2 [4.0]	1 [2.0]
Inflammation	2 [2.0]		2 [3.5]	
Thrombosis	1 [4.0]			
Uterus	(50)	(50)	(50)	(50)
Angiectasis		1 [2.0]		1 [2.0]

a - Number of animals examined microscopically at site and number of animals with lesion
b - Average severity grade (1-minimal; 2-mild; 3-moderate; 4-marked)

B6C3F1 MICE FEMALE	0 MG/KG	1250 MG/KG	2500 MG/KG	5000 MG/KG
Atrophy		1 [4.0]		
Hemorrhage	1 [4.0]			1 [4.0]
Hydrometra			1 [3.0]	
Inflammation	2 [2.0]	2 [3.0]	2 [3.5]	
Thrombosis			1 [3.0]	
Endometrium, Decidual Reaction			1 [3.0]	
Endometrium, Hyperplasia, Cystic	47 [2.6]	40 [2.6]	35 [2.7]	43 [2.5]
Myometrium, Atypia Cellular	1 [1.0]			
HEMATOPOIETIC SYSTEM				
Bone Marrow	(50)	(50)	(49)	(50)
Angiectasis	1 [2.0]			
Hyperplasia			1 [4.0]	2 [4.0]
Lymph Node	(4)	(4)	(6)	(6)
Hyperplasia			1 [3.0]	
Iliac, Hemorrhage			1 [3.0]	
Lumbar, Hyperplasia, Plasma Cell	1 [3.0]			
Renal, Degeneration, Cystic				1 [3.0]
Renal, Hemorrhage		2 [3.0]	1 [3.0]	
Lymph Node, Mandibular	(50)	(49)	(50)	(50)
Amyloid Deposition				1 [2.0]
Hyperplasia			1 [3.0]	1 [2.0]
Hyperplasia, Lymphoid			1 [2.0]	
Infiltration Cellular, Histiocyte			2 [2.5]	
Lymph Node, Mesenteric	(49)	(50)	(50)	(50)
Degeneration, Cystic		1 [4.0]		
Hemorrhage		1 [3.0]		
Hyperplasia, Lymphoid		1 [4.0]		
Infiltration Cellular, Histiocyte			2 [1.5]	
Inflammation			2 [1.5]	1 [3.0]
Spleen	(50)	(50)	(49)	(50)
Amyloid Deposition			1 [2.0]	
Atrophy				1 [2.0]
Hematopoietic Cell Proliferation	4 [2.0]	2 [2.0]	2 [2.0]	2 [2.0]
Hyperplasia, Lymphoid	22 [1.7]	23 [1.6]	24 [1.8]	12 [1.1]
Hyperplasia, Plasma Cell			1 [2.0]	
Infarct	1 [4.0]			
Lymphoid Follicle, Atrophy	2 [2.0]	1 [3.0]	4 [1.8]	3 [2.0]

a - Number of animals examined microscopically at site and number of animals with lesion
b - Average severity grade (1-minimal; 2-mild; 3-moderate; 4-marked)

B6C3F1 MICE FEMALE	0 MG/KG	1250 MG/KG	2500 MG/KG	5000 MG/KG
Thymus	(48)	(49)	(49)	(49)
Cyst	1 [2.0]			
Hyperplasia, Lymphoid				1 [2.0]
Infiltration Cellular, Mast Cell			1 [3.0]	
Inflammation			1 [2.0]	
INTEGUMENTARY SYSTEM				
Mammary Gland	(50)	(50)	(50)	(50)
Hyperplasia, Focal		2 [2.5]	3 [2.3]	2 [2.5]
Inflammation	1 [2.0]			
Skin	(50)	(50)	(50)	(50)
Inflammation	1 [2.0]		1 [2.0]	
Ulcer	1 [2.0]	1 [2.0]		
Subcutaneous Tissue, Fibrosis	2 [2.5]	4 [1.8]	1 [2.0]	1 [2.0]
MUSCULOSKELETAL SYSTEM				
Bone	(50)	(50)	(50)	(50)
Femur, Fibro-Osseous Lesion		4 [1.3]	2 [1.0]	4 [2.3]
NERVOUS SYSTEM				
Brain	(50)	(50)	(50)	(50)
Hydrocephalus		2 [1.0]	1 [2.0]	
Inflammation		1 [1.0]		
Artery, Inflammation			1 [3.0]	
Meninges, Inflammation			1 [1.0]	
Spinal Cord	(0)	(1)	(1)	(1)
Degeneration				1 [2.0]
RESPIRATORY SYSTEM				
Lung	(50)	(50)	(50)	(50)
Congestion				3 [2.0]
Hemorrhage		1 [2.0]	1 [2.0]	
Inflammation	2 [1.0]	6 [1.8]	2 [1.5]	6 [1.2]
Thrombosis			2 [1.0]	

a - Number of animals examined microscopically at site and number of animals with lesion
b - Average severity grade (1-minimal; 2-mild; 3-moderate; 4-marked)

B6C3F1 MICE FEMALE	0 MG/KG	1250 MG/KG	2500 MG/KG	5000 MG/KG
Alveolar Epithelium, Hyperplasia	2 [1.5]	3 [2.0]	2 [1.5]	1 [1.0]
Alveolus, Infiltration Cellular, Histiocyte			2 [3.5]	
Nose	(50)	(50)	(50)	(49)
Inflammation	1 [1.0]		4 [1.0]	3 [1.7]
SPECIAL SENSES SYSTEM				
Eye	(49)	(50)	(50)	(50)
Developmental Malformation	1			
Cornea, Inflammation	2 [1.5]	1 [1.0]	3 [1.3]	
Optic Nerve, Degeneration				1 [2.0]
Harderian Gland	(49)	(50)	(50)	(50)
Hyperplasia	2 [2.0]	1 [1.0]	1 [2.0]	
URINARY SYSTEM				
Kidney	(50)	(50)	(50)	(50)
Cyst		1 [2.0]		
Infarct		2 [1.5]		6 [1.7]
Inflammation	7 [1.6]	2 [2.0]		1 [2.0]
Metaplasia, Osseous		3 [2.0]	2 [1.5]	
Mineralization		1 [1.0]		
Nephropathy	39 [1.1]	39 [1.1]	38 [1.3]	33 [1.2]
Arteriole, Inflammation				1 [1.0]
Artery, Inflammation		1 [3.0]	1 [2.0]	
Urinary Bladder	(49)	(50)	(50)	(50)
Inflammation				1 [1.0]

*** END OF REPORT ***

a - Number of animals examined microscopically at site and number of animals with lesion
b - Average severity grade (1-minimal; 2-mild; 3-moderate; 4-marked)